



HOSHIZAKI

ICE MACHINES ★ REFRIGERATION

2018 PRODUCT BROCHURE

hoshizakiamerica.com | (800) 438-6087

Item #40071 | 5-25-18



HOSHIZAKI

*ENERGY STAR® Qualified



AM-50

CUBER SERIES

HOSHIZAKI offers a complete line of crescent cuber machines producing up to 2400 pounds of ice within a 24-hour period.

The AM Cuber features a stainless steel finish a fewer moving parts for longer life. The AM-50 is available with swing-style field reversible door, fits conveniently into standard cabinetry and is UL approved for outdoor use. The AM-50BAE-AD is ADA approved height.

The KM & KMEdge Cuber Series features an attractive stainless steel exterior. The dual-sided stainless steel evaporator has oval-shaped copper refrigerant tubing for the most efficient heat exchange. This exclusive evaporator design freezes the purest water, resulting in crystal clear crescent cubes.



KM-101 / 151

ICE USAGE GUIDE

Establishment	Approximate Daily Usage
Restaurant	2.0 lbs. ice per seat
Cocktail Lounge	3.0 lbs. ice per seat
Lodging	
Food Service	1.5 lbs. ice per seat
Banquet Service	1.0 lbs. ice per seat
Guest Ice	5.0 lbs. ice per room
Beverage Service	5.0 oz. ice per 7 - 10 oz. cup
Convenience Store	8.0 oz. ice per 12 - 16 oz. cup
Fast Food	10.0 oz. ice per 20 - 32 oz. cup
Salad Bar/Seafood Display	30 lbs. ice per cubic feet

UNDERCOUNTER CUBERS with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
AM-50BAJ(-DS)	14 7/8" x 22 5/8" x 33 1/2"	Air	51 lbs
AM-50BAJ-AD(-DS)†	14 7/8" x 22 5/8" x 31 1/2"	Air	49, 55 lbs
KM-61BAH	17 3/4" X 24 1/4" X 39"	Air	71 lbs
KM-101BAH	23 3/4" X 24 1/4" X 39"	Air	115 lbs
KM-151B_H	23 3/4" X 24 1/4" X 39"	Air, Water	146 lbs
KM-201BAH	24" X 28" X 39"	Air	201 lbs
KM-300B_J	30" X 28" X 39"	Air, Water	295, 265 lbs

(-DS) Full overlay door panel - designed to accommodate custom cabinetry
†The ADA compliant

*height includes 6" legs

Ice production at 70°F Air / 50°F Water



KMD-460



KMS-1402

KM & KMEdge CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KM-340M_J*	22" X 27 3/8" X 30 5/16"	Air, Water	204, 402 lbs
KM-515M_J* / MAH-E	22" X 27 3/8" X 30 5/16"	Air, Water, Remote	515, 495, 504 lbs / 233 Kgs
KM-650M_J / MAH-E	22" X 27 3/8" X 30 5/16"	Air, Water, Remote	630, 647, 632 lbs / 296 Kgs
KM-901M_J* / MRJ3* / MAH50	30" X 27 3/8" X 32 1/2"	Air, Water, Remote	905, 950, 904, 927 lbs / 398 Kgs
KM-1100M_J	30" X 27 3/8" X 32 1/2"	Air, Water, Remote	1087, 1073, 1156 lbs
KM-1301S_J / S_J3* / SAH-E	48" X 27 3/8" X 27 3/8"	Air, Water, Remote	1365, 1247, 1400, 1427, 1360, 1433 lbs / 505 Kgs
KM-1340M_J / MRH3	30" X 27 3/8" X 41 1/2"	Air, Water, Remote	1257, 1323, 1371, 1364 lbs
KM-1601MRJ / MRJ3	30" X 27 3/8" X 41 5/8"	Remote	1594, 1653 lbs
KM-1601S_J* / S_J3	48" X 27 3/8" X 27 3/8"	Air, Water, Remote	1513, 1660, 1640, 1513, 1671, 1635 lbs
KM-1900S_J* / S_J3*	48" X 27 3/8" X 36 7/16"	Air, Water, Remote	1875, 1880, 1933, 1865, 1880, 1933 lbs
KM-2200S_J3*	48" X 27 3/8" X 36 7/16"	Water, Remote	2221, 2206 lbs
KM-2600S_J3*	48" X 27 3/8" X 36 7/16"	Water, Remote	2482, 2617 lbs

(-E) Models with air-cooled condensers available in 220v/50hz

Ice production at 70°F Air / 50°F Water



KML-325



*ENERGY STAR® Qualified



HOSHIZAKI

All KM & KMEdge cubers feature the CycleSaver™ design and the EverCheck™ control board. The CycleSaver™ design allows HOSHIZAKI cubers to produce the same quantity of ice in about half as many cycles as competitive ice machines. Fewer cycles add-up to longer life and less maintenance than competitive units. The EverCheck™ control board sounds an audible alert when the machine is in need of service. This feature assists in diagnosis and minimizes down-time.

Additionally, the stainless steel construction of the evaporator means years of trouble-free ice-making. Because it is not affected by caustic water conditions, there is no plating to peel or flake and no plastic to crack. The HOSHIZAKI icemaking system is the simplest in the industry. It has fewer moving parts and fewer cycles which increases dependability, machine life and energy savings.

HOSHIZAKI Ice Machines and Dispensers also feature H-GUARD Plus® Antimicrobial Agent.



KM-515



KM-901



KM-1301 / KM-1601



KM-2000



IM-500

KM & KMEdge CUBER DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KMD-410M_H	22" X 24" X 24"	Air, Water	415, 440 lbs
KMD-460M_H	30" X 24 1/4" X 22 1/8"	Air, Water	457, 505 lbs
KMD-530M_H	30" X 24 1/4" X 22 1/8"	Air, Water, Remote	553, 540, 560 lbs
KMD-860M_J	30" X 24 5/8" X 28"	Air, Water, Remote	855, 940, 967 lbs

Ice production at 70°F Air / 50°F Water

HIGH CAPACITY KM CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KMH-2000S_H*	36" X 40" X 36 7/16"	Water, Remote	1843, 1944, 1929 lbs

Ice production at 70°F Air / 50°F Water

LOW PROFILE KMEdge CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KML-325M_J	30" X 27 3/8" X 22"	Air, Water	380, 385 lbs
KML-500M_J	30" X 27 3/8" X 22"	Air, Water	442, 543 lbs
KML-700M_J*	30" W X 27 3/8" D X 22" H	Air, Water, Remote	572, 730, 643 lbs

Ice production at 70°F Air / 50°F Water

SERENITY SERIES KM CUBER DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KMS-822MLH	22" X 24 5/8" X 28"	Remote	839 lbs
KMS-830MLH	30" X 16 1/2" X 29"	Remote	820 lbs
KMS-1122MLJ	22" X 18 1/8" X 31 1/4"	Remote	1151 lbs
KMS-1402MLJ	30" X 24" X 28"	Remote	1501, 1325 lbs
KMS-2000MLH	30" X 24" X 32 7/8"	Remote	1861, 1910 lbs

Ice production at 70°F Air / 50°F Water

IM SQUARE CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
IM-200BAA	39 1/2" X 23 5/8" X 33 1/2"~*	Air	200 lbs
IM-500SAA*	44" X 27 5/8" X 21 3/4"	Air	500 lbs

*height includes 6" legs

Ice production at 70°F Air / 50°F Water



HOSHIZAKI

*ENERGY STAR® Qualified



C-80

FLAKER / CUBELET SERIES

HOSHIZAKI flaker icemakers are designed for dependability. The attractive stainless steel exterior provides long life and easy maintenance. The stainless steel internal auger design produces the highest quality ice with fewer repairs and less down time. This design also contributes to low power consumption, resulting in an energy efficient unit.

HOSHIZAKI flakers and cubelet ice machines feature the Advanced CleanCycle24™ design, which keeps the evaporator barrel clean by performing a 2 second rinse every hour. The self-contained models are designed to flush the system automatically every time the bin control is activated.



F-330

UNDERCOUNTER FLAKERS with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
F-300BAJ	36" X 24 1/4" X 39 1/4"	Air	353 lbs
F-330BAJ	24" X 26" X 39"	Air	332 lbs
F-500BAJ	38" X 29" X 42"	Air	536 lbs

*height includes 6" legs

Ice production at 70°F Air / 50°F Water

FLAKERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
F-450MAJ	22" X 27 3/8" X 22"	Air	492 lbs
F-801M_J	22" X 27 3/8" X 26"	Air, Water	751, 680 lbs
F-1002M_J	22" X 27 3/8" X 26"	Air, Water, Remote	980, 955, 907, 1028 lbs
F-1501M_J	30" X 27 3/8" X 34 7/16"	Air, Water, Remote	1543, 1624, 1705 lbs
F-2001M__	30" X 27 1/2" X 34 7/16"	Air, Water, Remote	2030, 1990, 2010, 2280 lbs

Ice production at 70°F Air / 50°F Water



F-450

UNDERCOUNTER CUBELET with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
C-80BAJ(-DS)	14 7/8" X 22 5/8" X 33 1/2"	Air	353 lbs
C-80BAJ-AD(-DS)†	14 7/8" X 22 5/8" X 31 1/2"	Air	332 lbs
F-330BAJ-C	24" X 26" X 39"	Air	536 lbs

(-DS) Full overlay door panel - designed to accommodate custom cabinetry

*height includes 6" legs

Ice production at 70°F Air / 50°F Water

†The ADA compliant

CUBELET

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
F-450MAJ-C	22" X 27 3/8" X 22"	Air	412 lbs
F-801M_J-C*	22" X 27 3/8" X 26"	Air, Water	690, 632 lbs
F-1002M_J-C	22" X 27 3/8" X 26"	Air, Water, Remote	890, 790, 821 lbs
F-1501M_J-C	30" X 27 3/8" X 34 7/16"	Air, Water, Remote	1327, 1376, 1335 lbs
F-2001MRJ-C	30" X 27 1/2" X 34 7/16"	Air, Water, Remote	1800 lbs

Ice production at 70°F Air / 50°F Water



FD-650

CUBELET DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
FD-650M_H-C*	22" X 24" X 26"	Air, Water, Remote	650, 615, 590 lbs
FD-1002M_J-C	22" X 24" X 26"	Air, Remote	890, 821 lbs

Ice production at 70°F Air / 50°F Water

SERENITY SERIES CUBELET DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
FS-1001MLH-C	30" X 11" X 26"	Remote	830 lbs
FS-1022MLH-C	22" X 16 1/2" X 26"	Remote	830 lbs
FS-1500MLH-C	30" X 16 1/2" X 33"	Remote	1420 lbs

Ice production at 70°F Air / 50°F Water



FS-2001



*ENERGY STAR® Qualified



HOSHIZAKI

DISPENSERS and ICE STORAGE BINS

The HOSHIZAKI crescent cube vending dispensers feature a built-in insulated storage bin with a "U"-Shaped design and three dimensional agitation. The shape of the bin and agitation prevents clumping and assists in delivering ice conveniently at the touch of a button. The DB Series cube dispenser accommodates the HOSHIZAKI KM series crescent cubers and features a child-safety mechanism which disengages the agitator should a foreign object be inserted into the chute. The DKM hotel dispenser is the only one-piece design available to the market and is 35% quieter than other hotel dispensers. The DCM Series dispenses both cubelet ice and water. The easy to chew, dry cubelet ice is produced and stored in a sanitary, built-in storage bin. The DCM Opti-Serve™ Series offers a hands-free operation, eliminating the possibility of cross-contamination.

OPTI-SERVE

HOSHIZAKI Ice Machines and Dispensers also feature H-GUARD Plus® Antimicrobial Agent.



DB-200



DKM-500



DCM-270



DCM-500



BD-300

DCM SERIES CUBELET DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
DCM-270BAH / OS	16 9/16" x 24 1/8" x 31 11/16"	Air	282 lbs / 288 lbs
DCM-300BAH / OS	26" x 22 1/2" x 40"	Air	321 lbs
DCM-500B_H / OS	26" x 22 1/2" x 40"	Air, Water	618, 590 lbs
DCM-751B_H / OS	34 1/16" x 28 1/2" x 48 1/16"	Air, Water	810, 782 lbs

OS Models - Hands-free sensor design

*height includes 4" legs

Ice production at 70°F Air / 50°F Water

DB, DKM and DM SERIES DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	DISPENSING RATE	APPLICATION CAPACITY
DB-130H	22" x 30" x 53"	N/A	20 lbs. / min	130 Lbs
DB-200H	30" x 30" x 53"	N/A	13 lbs. / min	130 Lbs
DKM-500B_J*	30" x 28" x 77"	Air, Water	13 lbs. / min	545, 540 Lbs
DM-200B	30" x 28" x 36 3/8"	N/A	7.5 lbs. / min	200 Lbs
DM-4420N	22" x 30 1/2" x 40"	N/A	N/A	200 Lbs

*height includes 6" legs

Ice production at 70°F Air / 50°F Water

DCM and DM SERIES SD STANDS

MODEL	DIMENSIONS (W x D x H)	USE WITH ICE MACHINE / DISPENSER MODEL
SD-200	30" x 28" x 32 13/16"	DM-200B
SD-270	16 1/2" x 24" x 35 3/16"	DCM-270 (-OS)
SD-500	25 7/8" x 22" x 32 3/4"	DCM-300 (-OS) / DCM-500 (-OS)
SD-750	34" x 28" x 32 3/4"	DCM-751 (-OS)

*height includes 6" legs

PF, SF and SS SERIES ICE STORAGE BINS

MODEL	DIMENSIONS (W x D x H)	EXTERIOR	APPLICATION CAPACITY
B-250PF	30" x 32 1/2" x 33 3/8"	Vinyl Clad	250 Lbs
B-300PF / SF	22" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	300 Lbs
BD-300PF / SF	22" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	300 Lbs
B-500PF / SF	30" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	500 Lbs
BD-500PF / SF	30" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	500 Lbs
B-700PF / SF	44" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	700 Lbs
B-800PF / SF	48" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	800 Lbs
B-900PF / SF	52" x 32 1/2" x 46"	Vinyl Clad, Stainless Steel	900 Lbs
B-1150SS	48" x 41" x 60"	Stainless Steel	1148 Lbs
B-1300SS	48" x 41" x 66"	Stainless Steel	1304 Lbs
B-1500SS	60" x 41" x 62"	Stainless Steel	1500 Lbs
B-1650SS	60" x 41" x 66"	Stainless Steel	1605 Lbs

*height includes 6" legs



HOSHIZAKI

*ENERGY STAR® Qualified



CR1S-FGE



CR2S-FS



CRMR27-D



CRMR48-W



CRMR72-18



CPT46-D

COMMERCIAL SERIES

HOSHIZAKI's Commercial Series offers superior features at affordable prices: stainless steel interior and exterior front and sides, energy efficient refrigeration system, unique ducted air flow, easy installation and excellent parts and labor warranty for reliable and durable kitchen refrigeration.

UPRIGHT REFRIGERATORS AND FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CR1S-FS(L)* / HS(L)*	1-Section Refrigerator with Full or Half Height Doors	27 1/2" x 34" x 79 1/2"	22.8 ft ³
CR2S-FS* / HS*	2-Section Refrigerator with Full or Half Height Doors	55 1/2" x 34" x 79 1/2"	50.5 ft ³
CR3S-FS / HS	3-Section Refrigerator with Full or Half Height Doors	83 1/2" x 34" x 79 1/2"	73.3 ft ³
CR1S-FGE	1-Section Refrigerator with Full Height Glass Door	27 1/2" x 34 3/4" x 79 1/2"	23.3 ft ³
CR2S-FGE	2-Section Refrigerator with Full Height Glass Doors	55" x 34 3/4" x 79 1/2"	50.5 ft ³
CR3S-FGE	3-Section Refrigerator with Full Height Glass Doors	83" x 34 3/4" x 79 1/2"	74.3 ft ³
CF1S-FS(L) / HS(L)	1-Section Freezer with Full or Half Height Doors	27 1/2" x 34" x 79 1/2"	22.8 ft ³
CF2S-FS* / HS*	2-Section Freezer with Full or Half Height Doors	55" x 34" x 79 1/2"	50.5 ft ³
CF3S-FS / HS	3-Section Freezer with Full or Half Height Doors	83" x 34" x 79 1/2"	73.3 ft ³
CF1S-FGE	1-Section Freezer with Full Height Glass Door	27 1/2" x 34 3/4" x 79 1/2"	23.3 ft ³
CF2S-FGE	2-Section Freezer with Full Height Glass Doors	55" x 34 3/4" x 79 1/2"	51.0 ft ³

(L) Left Hand Hinge

*height includes 4" casters

UNDERCOUNTER REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
HR24A*	1-Section Undercounter Refrigerator	23 3/8" x 24 1/2" x 32 11/16"	4.0 ft ³
CRMR27* / -01* / -D	1-Section Undercounter Refrigerator	27" x 30" x 33 5/8"	7.2 ft ³
CRMR27-LP*	1-Section Undercounter Refrigerator	27" x 30" x 32 1/4"	7.2 ft ³
CRMR36* / -01*	1-Section Undercounter Refrigerator	36" x 30" x 33 5/8"	9.9 ft ³
CRMR48 / -01 / -D4	2-Section Undercounter Refrigerator	48" x 30" x 33 5/8"	13.66 ft ³
CRMR60 / -01 / -D4	2-Section Undercounter Refrigerator	60" x 30" x 33 5/8"	17.55 ft ³
CRMR72* / -01* / -D6	3-Section Undercounter Refrigerator	72" x 30" x 33 5/8"	21.25 ft ³
CRMR27-GLP01	1-Section Undercounter Glass Door Refrigerator	27" x 32" x 31.9"	7.2 ft ³
CRMR48-GLP01	2-Section Undercounter Glass Door Refrigerator	48" x 32" x 31.9"	13.66 ft ³
CRMF27-GLP01*	1-Section Undercounter Glass Door Freezer	27" x 32" x 31.9"	7.2 ft ³
CRMF27 / -01 / -D	1-Section Undercounter Freezer	27" x 30" x 33 5/8"	7.2 ft ³
CRMF27-LP	1-Section Undercounter Freezer	27" x 30" x 32 1/4"	7.2 ft ³
CRMF48 / -01 / -D4	2-Section Undercounter Freezer	48" x 30" x 33 5/8"	13.66 ft ³
CRMF60 / -01	2-Section Undercounter Freezer	60" x 30" x 33 5/8"	17.55 ft ³

(-D, -D4, -D6) with Drawers

(-01) with Lock

(-LP) Low Profile

*height includes 4" casters

†height includes 2 1/4" casters

WORKTOP REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR27-W* / -01* / -WD	1-Section Worktop Refrigerator	27" x 30" x 40"	7.2 ft ³
CRMR36-W* / -01*	1-Section Worktop Refrigerator	36" x 30" x 40"	9.9 ft ³
CRMR48-W / -01 / -WD4	2-Section Worktop Refrigerator	48" x 30" x 40"	13.66 ft ³
CRMR60-W / -01 / -WD4	2-Section Worktop Refrigerator	60" x 30" x 40"	17.55 ft ³
CRMR72-W* / -01* / -WD6	3-Section Worktop Refrigerator	72" x 30" x 40"	21.25 ft ³
CRMF27-W / -01 / -WD	2-Section Worktop Freezer	27" x 30" x 40"	7.2 ft ³
CRMF48-W / -01 / -WD4	2-Section Worktop Freezer	48" x 30" x 40"	13.66 ft ³
CRMF60-W / -01	2-Section Worktop Freezer	60" x 30" x 40"	17.55 ft ³

(-WD, -WD4, -WD6) with Drawers

(-01) with Lock

*height includes 6" casters



HOSHIZAKI

PREP TABLES - SALAD / SANDWICH TOP REFRIGERATORS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR27-8 / D	1-Section Salad/Sandwich Top Prep Table Refrigerator	27" x 30" x 44 1/4"	7.21 ft ³
CRMR36-10	1-Section Salad/Sandwich Top Prep Table Refrigerator	36" x 30" x 44 1/4"	9.9 ft ³
CRMR48-8	2-Section Salad/Sandwich Top Prep Table Refrigerator	48" x 30" x 44 1/4"	13.66 ft ³
CRMR48-12 / D4	2-Section Salad/Sandwich Top Prep Table Refrigerator	48" x 30" x 44 1/4"	13.66 ft ³
CRMR60-8	2-Section Salad/Sandwich Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR60-12	2-Section Salad/Sandwich Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR60-16	2-Section Salad/Sandwich Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR72-12	3-Section Salad/Sandwich Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³
CRMR72-16	3-Section Salad/Sandwich Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³
CRMR72-18	3-Section Salad/Sandwich Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³

(-D, -D4) with Drawers

*height includes 6" casters



CRMR27-12MD



CRMR48-8



CRMR36-15M

PREP TABLES - MEGA TOP REFRIGERATORS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR27-12M / D	1-Section Mega Top Prep Table Refrigerator	27" x 30" x 44 1/4"	7.2 ft ³
CRMR36-15M	1-Section Mega Top Prep Table Refrigerator	36" x 30" x 44 1/4"	9.9 ft ³
CRMR48-12M	2-Section Mega Top Prep Table Refrigerator	48" x 30" x 44 1/4"	13.66 ft ³
CRMR48-18M / D4	2-Section Mega Top Prep Table Refrigerator	48" x 30" x 44 1/4"	13.66 ft ³
CRMR60-12M	2-Section Mega Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR60-18M	2-Section Mega Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR60-24M / D4	2-Section Mega Top Prep Table Refrigerator	60" x 30" x 44 1/4"	17.55 ft ³
CRMR72-18M	3-Section Mega Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³
CRMR72-24M	3-Section Mega Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³
CRMR72-30M / D6	3-Section Mega Top Prep Table Refrigerator	72" x 30" x 44 1/4"	21.25 ft ³

(D, D4, D6) with Drawers

*height includes 6" casters

PREP TABLES - PIZZA REFRIGERATORS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CPT46 / -D	1-Section Pizza Prep Table Refrigerator	46" x 31 1/4" x 43 1/2"	11.0 ft ³
CPT67 / -D4	2-Section Pizza Prep Table Refrigerator	67" x 31 1/4" x 43 1/2"	19.9 ft ³
CPT93 / -D6	3-Section Pizza Prep Table Refrigerator	93" x 31 1/4" x 43 1/2"	31.1 ft ³

(-D, -D4, -D6) with Drawers

*height includes 6" casters



CRMR60-12M

REFRIGERATED EQUIPMENT STANDS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRES36	1-Section Low-Profile Refrigerated Equipment Stand	36 1/2" x 33 1/4" x 26"	6.12 ft ³
CRES49	1-Section Low-Profile Refrigerated Equipment Stand	49" x 33 1/4" x 26"	9.52 ft ³
CRES60	1-Section Low-Profile Refrigerated Equipment Stand	60 1/2" x 33 1/4" x 26"	9.52 ft ³
CRES72	2-Section Low-Profile Refrigerated Equipment Stand	72 1/2" x 33 1/4" x 26"	15.44 ft ³
CRES85	2-Section Low-Profile Refrigerated Equipment Stand	85" x 33 1/4" x 26"	18.95 ft ³
CRES98	2-Section Low-Profile Refrigerated Equipment Stand	98" x 33 1/4" x 26"	22.2 ft ³
CRES110	2-Section Low-Profile Refrigerated Equipment Stand	110 1/2" x 33 1/4" x 26"	22.2 ft ³

*height includes 4" casters



CPT67-D4



CRES49



HOSHIZAKI



CRMR48-D2



CRMR60-24MD2



CPT67-D2



RM-10



RM-49



HNC-120BA-R-S



HNC-150BA-R-S



HNC-210BA-R-S

DRAWER/DOOR COMBINATIONS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR48-D2	2-Section Undercounter Refrigerator	48" x 30" x 33 5/8" [†]	13.66 ft ³
CRMR60-D2	2-Section Undercounter Refrigerator	60" x 30" x 33 5/8" [†]	17.55 ft ³
CRMR48-WD2	2-Section Worktop Refrigerator	48" x 30" x 40"	13.66 ft ³
CRMR60-WD2	2-Section Worktop Refrigerator	60" x 30" x 40"	17.55 ft ³
CRMR48-12D2	2-Section Salad/Sandwich Top Prep Table Refrigerator	48" x 30" x 45 1/4"	13.66 ft ³
CPT67-D2	2-Section Pizza Prep Table Refrigerator	67" x 32 1/4" x 43 1/2"	19.9 ft ³
CPT93-D2	3-Section Pizza Prep Table Refrigerator	93" x 32 1/4" x 43 1/2"	30 ft ³
CPT93-D4	3-Section Pizza Prep Table Refrigerator	93" x 32 1/4" x 43 1/2"	30 ft ³
CRMR48-18MD2	2-Section Mega Top Prep Table Refrigerator	48" x 30" x 45 1/4"	13.66 ft ³
CRMR60-24MD2	2-Section Mega Top Prep Table Refrigerator	60" x 30" x 45 1/4"	17.6 ft ³
CRMR72-30MD2	3-Section Mega Top Prep Table Refrigerator	72" x 30" x 45 1/4"	21.2 ft ³
CRMR72-30MD4	3-Section Mega Top Prep Table Refrigerator	72" x 30" x 45 1/4"	21.2 ft ³

SPECIAL ORDER - Please contact your local HOSHIZAKI Sales Representative for availability. Allow 4-6 weeks lead time. Drawer/Doors can be in any configuration.

[†]height includes 4" casters
*height includes 6" casters

GLASS DOOR MERCHANDISERS

- Curved vertical corners with silver aluminum exterior provide enhanced product display
- Large glass door is energy efficient Low-E multi pane glass
- Electronic controller with visual and audio high and low temperature alarms
- Listed under NSF/ANSI Standard 7 for the storage and/or display of packaged or bottled products.
- Forced air evaporator for quick temperature pull down

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
RM-7-HC	1-Section Glass Door Refrigerated Merchandiser	21 1/4" x 25" x 37 3/4"	5.97 ft ³
RM-10	1-Section Glass Door Refrigerated Merchandiser	25 1/2" x 23" x 55 1/2"	10 ft ³
RM-26	1-Section Glass Door Refrigerated Merchandiser	30" x 29 3/4" x 78"	26 ft ³
RM-45-SD	2-Section Glass Door Refrigerated Merchandiser	51" x 30 1/4" x 78 1/4"	45 ft ³
RM-49	2-Section Glass Door Refrigerated Merchandiser	60" x 29 3/4" x 78"	49 ft ³

SUSHI CASES

HNC Sushi Cases feature four models to choose from providing a wide selection for displaying. Cases are refrigerated and contain a larger condenser face, improving cooling performance

- Self-contained refrigeration unit - ease of installation
- Plate space on top of unit, 5.6 inches
- Larger front to back interior, 11" depth
- Easy to clean ceiling
- NSF approved thermometer
- Large diameter 1" drain at front, vinyl hose included
- Full length front glass angles down for an attractive display of items

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	CONDENSER
HNC-120BA-R / L-SL	47" Wide Stainless Steel Countertop Refrigerated Display Case	47 1/4" x 13 5/8" x 11"	Air-Cooled
HNC-150BA-R / L-SL	59" Wide Stainless Steel Countertop Refrigerated Display Case	59 1/4" x 13 5/8" x 11"	Air-Cooled
HNC-180BA-R / L-SL	70" Wide Stainless Steel Countertop Refrigerated Display Case	70 1/4" x 13 5/8" x 11"	Air-Cooled
HNC-210BA-R / L-SL	82" Wide Stainless Steel Countertop Refrigerated Display Case	82 1/4" x 13 5/8" x 11"	Air-Cooled

"R" - Condensing Unit is on RIGHT from front view. "L" - Condensing Unit is on LEFT from front view. Not intended for overnight storage. NSF Standard 7