

BACK BAR
REFRIGERATION

GLASS DOOR
MERCHANDISERS



HOSHIZAKI

HOSHIZAKI. BEYOND STRONG.

hoshizakiamerica.com

HOSHIZAKI's attention to detail, continuous innovation, smart application of technology and commitment to the highest standards ensures that our customers have exceptional quality products.

Our Back Bar Refrigerator, Direct Draw Refrigerator & Bottle Cooler line has features that combine durability and style.



SUPERIOR
Refrigeration Performance



DURABLE
Sustainable Construction



SIMPLE
Operation and Maintenance



HOSHIZAKI

BACK BAR REFRIGERATION SERIES

SUPERIOR REFRIGERATION PERFORMANCE

HOSHIZAKI's Back Bar Refrigeration features side mount refrigeration that distributes air from left to right rather than from back to front. Side-to-side circular air flow ensures ice-cold products even when doors are opened regularly. The drain pan allows for efficient condensation management.

OTHER FEATURES:

- ▶ Cabinets are designed to maintain interior temperatures between 33°F to 38°F
- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Electronic controller with digital LED display (°F or °C)
- ▶ DD models come with keg cushion to protect floor and allow air to circulate below kegs



Keg Cushion
(DD models)

Note:

- Default temperature set-point for all models is 32°F
- Compressor cycles on at 38°F (+6°C) and cycles off at 32°F
- Automatic off-cycle defrost every 6 hours after energized
- There is a slight delay after models are energized before refrigeration system begins to work





HOSHIZAKI

BACK BAR REFRIGERATION SERIES

DURABLE, SUSTAINABLE CONSTRUCTION

HOSHIZAKI's Back Bar Refrigeration features stainless steel interior with LED lights, stylish wear-resistant black vinyl coated exterior front, sides and rear, as well as 18 gauge stainless steel top for excellent durability.

OTHER FEATURES:

- ▶ Self-closing doors come standard with barrel locks
- ▶ Energy efficient, Low-E multi-pane glass doors
- ▶ Stainless steel threshold on DD models protects door frame when loading and unloading cabinet
- ▶ Cabinet walls and doors are insulated with 2" environmentally friendly, foamed-in-place polyurethane
- ▶ CC durable stainless steel slide top lids include locks and can be easily removed for loading or unloading product

DD polished stainless-steel insulated towers with plated brass faucet



Note:

Cabinets are not designed to move on casters when loaded with product. Can be used to move cabinet out for cleaning only.



HOSHIZAKI

BACK BAR REFRIGERATION SERIES

SIMPLE OPERATION AND MAINTENANCE

HOSHIZAKI's Back Bar Refrigeration features an internal capacity to merchandise 3 levels of tall boys (24 oz) for maximum product storage. Field interchangeable self-closing doors (glass or solid) with 90° stay open system for convenient loading. Locks standard per section.

OTHER FEATURES:

- ▶ Front breathing, side mount refrigeration is easily accessible by sliding out for cleaning and service
- ▶ Zero clearance requirements – sides and rear
- ▶ BB models include 2 gray epoxy coated shelves per section with product stops



TIPS FOR DISPENSING BEER

- Draught beer is best served between 38°-40° F
- Kegs should be chilled prior to placement in a direct draw refrigerator
- Although tower is insulated, condensation on the tower is normal
- It takes about 1 lb. of CO2 to dispense a 1/2 barrel of beer (keg)
- Beer is dispensed from the bottom of the keg
- Keg cushions protect the floor while allowing effective air flow for consistent temperatures





HOSHIZAKI

BACK BAR REFRIGERATION SERIES

BB / DD / CC

BB SERIES

Back Bar
Refrigerator
with Swing Doors
(Solid or Glass)

59" to 95" Models



BB59



BB69



BB80



BB95



BB59-G



BB69-G



BB80-G



BB95-G

DD SERIES

Direct Draw
Refrigerator
with Swing Door(s)

24" to 95" Models



DD24



DD59



DD69



DD80



DD95

CC SERIES

Bottle Coolers
with Slide Top

50" to 95" Models



CC50



CC65



CC80


















CC95



HOSHIZAKI

BACK BAR REFRIGERATION SERIES KEG FOOTPRINTS



* Approximate number of 12 oz. beers



HOSHIZAKI

BB | CC | DD

KEY FEATURE COMPARISON

FEATURE	HOSHIZAKI	True	Beverage-Air	Turbo Air
Heavy duty 18-guage stainless steel top	✓			
Stainless steel interior with LED lights	✓			
Black vinyl coated exterior front, sides and rear	✓	✓	✓	✓
Electronic controller with digital LED display (°F or °C)	✓		✓	
Keg cushion to protect floor & provide air flow under kegs (DD only)	✓			
Zero clearance requirements sides and rear (1" bumper on CC)	✓			
Self closing doors come standard with barrel locks	✓		✓	✓



HOSHIZAKI

Glass Door Merchandisers by HOSHIZAKI offer a variety of sizes and features

- ▶ Captivating display with interior LED lighting draws customers eyes to merchandise
- ▶ Back-lit marquee designed for first impressions with HOSHIZAKI's quality, promise to make a lasting impression
- ▶ Spring-loaded self-closing doors and optional accessories to display a wide variety of beverages
- ▶ Durable and stylish silver exterior with polished curved corners
- ▶ Easy to read LED display
- ▶ Electronic controller with built-in energy saving feature cools units quickly
- ▶ Tall (78") models come standard with 5 shelves per section, smaller units have 3 shelves





HOSHIZAKI

HOSHIZAKI REFRIGERATION GLASS DOOR MERCHANDISERS



RM-7-HC

Dimensions
21.5" W x 21" D
x 37.75" H

6 ft³
Storage Capacity

20 oz. bottles: 102
12 oz. bottles: 217



RM-10-HC

Dimensions
25.5" W x 23" D
x 55.5" H

10 ft³
Storage Capacity

20 oz. bottles: 126
12 oz. bottles: 288



RM-26-HC

Dimensions
30" W x 29.75" D
x 78" H

26 ft³
Storage Capacity

20 oz. bottles: 360
12 oz. bottles: 900



RM-45-SD-HC

(Sliding doors)

Dimensions
51" W x 30.25" D
x 78.25" H

45 ft³
Storage Capacity

20 oz. bottles: 560
12 oz. bottles: 1260



RM-49-HC

Dimensions
60" W x 29.75" D
x 78" H

49 ft³
Storage Capacity

20 oz. bottles: 630
12 oz. bottles: 1440



HOSHIZAKI

HOSHIZAKI REFRIGERATION
SIMPLE OPERATION AND MAINTENANCE

Hoshizaki's Warranty

- ▶ 3 Year Warranty on parts and labor for the entire unit
- ▶ 5 Year Warranty on parts for the Compressor

QR Code on the back of each unit for easy access to warranty and service information



Our Commitment to Customers

Our commitment to quality continues after the sale. To ensure your HOSHIZAKI equipment operates at its optimum, we provide the following:

- ▶ An established field service network
- ▶ Toll-Free Technical Support Line 24 hours, 7 days a week, including holidays - **800-233-1940**
- ▶ Multi-level training - **www.hoshizakiamerica.com/training**





Peachtree City, GA
Corporate Headquarters & Manufacturing

HOSHIZAKI is a global leader in the design, manufacturing, and marketing of equipment for the foodservice industry. With their corporate office located in Peachtree City, Georgia, HOSHIZAKI produces the highest level of excellence in ice machines and refrigeration equipment. Delivering continuous innovation, durability and style, the HOSHIZAKI name is synonymous with reliability and customer commitment.



Griffin, GA
Manufacturing



HOSHIZAKI

HOSHIZAKI AMERICA, INC.

618 Highway 74 South, Peachtree City, GA 30269

Toll Free: (800) 438-6087 | Fax: (800) 345-1325

hoshizakiamerica.com

03/29/22 Item #50063

