

KMD-850MAH 03/31/17 Item # 13230

WxDxH 30" x 24^{5/8}" x 28"

KMD-850MAH

Air-Cooled Shown on optional Lancer 30" dispenser



















Features

- Individual crescent cube
- Stainless steel evaporator
- ► CycleSaver™ design CycleSavei



- Up to 772 lbs. of ice production per 24 hours
- Durable stainless steel exterior
- Protected by H-Guard Plus H-GUARD Antimicrobial Agent
- EverCheck™ alert system ev
- · Removable air filters
- · R-404A Refrigerant

Available on Bins:

BD-500PF/SF B-800PF/SF B-1150SS B-1500SS* B-500PF/SF B-700PF/SF B-900PF/SF B-1300SS B-1650SS*


Top kit may be required. See Bin Spec Sheets. *Two unit application only.

3 Year Parts & Labor on entire machine. 5 Year Parts & Labor on Evaporator. 5 Year Parts on Compressor; air-cooled condenser coil.

Valid in United States, Canada, Puerto Rico and U.S. Territories. Contact factory for warranty in other countries.

	ICE PRODUCTION				WATER	USAGE	ELECTRICAL							
Condenser	Model	Air / Water Temp Lbs. per 24 hours 70°/ 50°F 90°/ 70°F		Per C Lbs.	Cubes	Potable Gal. per 100 lbs. 90°/ 70°F	Condenser Gal. per 100 lbs. 90°/ 70°F		Max. Fuse Size or HACR Circuit Breaker	Amperage	Voltage	Heat Rejection BTU/hr.	Shipping Weight	ENERGY STAR®
Air-Cooled	KMD-850MAH	772	625	11.7	624	34.0	N/A	6.2	20A	9.8A	208-230V/60/1	14,100	249 lbs.	

KM Cube Dimensions*



* approximate size in inches, image not to scale Printed in the U.S.A.

Operating Limits

· Ambient Temp Range 45 - 100°F Water Temp Range 45 - 90°F

 Water Pressure 10 - 113 PSIG

· Voltage Range 187 - 253V


Service

- · Panels easily removed and all components accessible for service.
- · Allow 6" (15cm) clearance at rear, sides, and top for proper air circulation and ease of maintenance/ service.


Plumbing

- Icemaker Water Supply Line: Minimum 1/4" Nominal ID Copper Water Tubing or Equivalent
- Icemaker Drain Line: Minimum 3/4" Nominal ID Hard Pipe or Equivalent


Hoshizaki reserves the right to change specifications without notice.




AIR-COOLED



AIR-COOLED





AIR-COOLED