



Hoshizaki America, Inc.

EFFECTIVE: February 1, 2014

Revised: October 27, 2014




2014 Equipment Price List



“A Superior Degree of Reliability”

www.hoshizakiamerica.com



Cuber Ice Machines	1
Flaker Ice Machines	10
Cubelet Ice Machines	12
Dispensers	15
Ice Storage Bins	18
Ice Bagging Systems	21
Top Kit Matrix	22
Remote Condensers	23
Remote Condenser Matrix	27
Stands	28
Countertop Refrigerated Display Cases	29
Water Filtration	30

EFFECTIVE: February 1, 2014

Supersedes all previous price lists

TERMS and CONDITIONS

Prices are F.O.B. Factory. All prices and specifications are subject to change without notice. Hoshizaki reserves the right to determine point of shipment.

TERMS:

Terms are such as the Company may extend to the purchaser.

LOST OR DAMAGED SHIPMENTS:

Whenever seller shall deliver or cause to be delivered to a common carrier any goods ordered by consignee, whether the particular common carrier shall have been designated in the shipping instructions of the consignee or not, seller shall not be responsible for any delays or damage in shipment and the common carrier to which seller shall deliver goods shipped to the consignee is hereby declared to the agent of the consignee. Therefore it is the responsibility of the consignee to file claim with the carrier for lost or damaged shipments.

WARRANTY

All units to be free from manufacturing defects, covered by:

KM Series Cubers / IM Series Cubers / DKM Ice Machine & Dispenser and DB Hotel / Motel Dispensers

- 3-Year - Parts & Labor on entire machine.
- 5-Year - Parts & Labor on Evaporator.
- 5-Year - Parts on Compressor, Air-Cooled Condenser Coil.

AM-50 Series Cubers & C-101 Flakers

- 2-Year - Parts & Labor on entire machine.

Flakers and Cubelet Ice Machines, DCM Ice & Water Dispensers

- 3-Year - Parts & Labor on entire machine. (Serial numbers VxxxxxJ and after)
- 5-Year - Parts on Compressor, Air-Cooled Condenser Coil.

Bins

- 2-Year - Parts & Labor on Slope Front Bins (Production prior to January 2012) & DM Dispenser.
- 3-Year - Parts & Labor on Slope Front Bins (January 2012 production and after).
- 5-Year - Parts & Labor on Large Upright Bin Models.

Countertop Refrigerated Display Cases

- 1-Year - Parts & Labor on entire machine.
- 2-Year - Parts & Labor on Compressor, Evaporator, Air-Cooled Condenser.
- 5-Year - Parts on Compressor, Air-Cooled Condenser.

Warewashers

- 1-Year - Parts & Labor.

Accessories

- 90 Day - Parts only.
- 1-Year - HS-5061 Drain Pump (Beckett Brand) - Parts & Labor.


Warranty

Warranty valid in United States, Canada, Puerto Rico, & U.S. Territories only. Contact Factory for Warranty in other Countries. Refer to manufacturer's full warranty for complete details. Suggested List Prices are intended only as a guide. This does not restrict the price seller may establish due to market conditions.

AGENCY LISTINGS and MARKS







ICE MACHINE MODEL NUMBER IDENTIFICATION CODE







* HS-5030 - Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral)

ICE TYPES

<p>Crescent Cube</p>  <p>KM KMD KML KMS KMH DKM</p>	<p>IM Square Cube</p>  <p>IM</p>	<p>"Top Hat" Cube</p>  <p>AM</p>	<p>Flaked</p>  <p>F</p>
---	--	---	---

*All Ice Dimensions are Approximate in Inches

Cubelet**

 <p>C F-C FD-C FS-C DCM</p>	<p>**Types of Cubelet Ice (Measurement displayed in inches)</p>  <p>45 Diameter</p>	 <p>70 Diameter</p>	 <p>95 Diameter</p>
---	--	---	---

45 Diameter Models	70 Diameter Models	95 Diameter Models
C-101B Series	F-801MAH-C	FD-650MAH-C
F-450MAH-C	F-801MWH-C	F-1001MAJ-C
DCM-270BAH-OS	FD-650MRH-C	FD-1001MAJ-C
DCM-300BAH-OS	F-1001MRJ-C	FS-1022MLH-C
	FS-1001MLH-C	DCM-500BWH
	DCM-500BAH-OS	DCM-751BAH-OS
	DCM-500BWH-OS	
	DCM-751BAH	
	DCM-751BWH	
	DCM-751BWH-OS	
		F-1501MAH-C
		F-1501MWH-C
		F-1501MRH-C
		FS-1500MLH-C
		F-2001MRH-C



SELF-CONTAINED CUBERS with Built-In Bins

147/8 x 225/8 x 331/2"
W x D x H



147/8 x 225/8 x 311/2"
W x D x H

-ADA Compliant
Dimensions

22 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
AM-50BAE	Air-Cooled	115/60/1	N/A	55 Lbs.	115 Lbs.	\$3,200
AM-50BAE-DS*	Air-Cooled	115/60/1	N/A	55 Lbs.	115 Lbs.	\$3,400
AM-50BAE-AD	Air-Cooled	115/60/1	N/A	55 Lbs.	115 Lbs.	\$3,400
AM-50BAE-ADDS*	Air-Cooled	115/60/1	N/A	55 Lbs.	115 Lbs.	\$3,505

*-DS Models - Wood Door System (Designed to accommodate custom cabinetry)

-DS Door Reversal Part - **HS-0229** - (*Order as a Service Part*)

Drain Pump (Beckett Brand) - **HS-5061** - 1 Year Warranty - Parts & labor (*Order as Accessory*) \$530

Side Trim Kit - **HS-0182** \$200


2" Top Spacer Kit available - **HS-2133** \$140

Recommended Water Filtration - **H9320-51** Single Configuration \$310



SELF-CONTAINED CUBERS with Built-in Bins

173/4 x 24 x *39"
W x D x H



*Height includes 6" legs

38 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-61BAH*	Air-Cooled	115/60/1	50 Lbs.	71 Lbs.	117 Lbs.	\$2,920

Qualified unit(s):

*KM-61BAH

Drain Pump (Beckett Brand) - **HS-5061** - 1 Year Warranty - Parts & labor (*Order as Accessory*) \$530

Recommended Water Filtration - **H9320-51** Single Configuration \$310

233/4 x 24 x *39"
W x D x H



*Height includes 6" legs

53 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-101BAH*	Air-Cooled	115/60/1	88 Lbs.	115 Lbs.	136 Lbs.	\$3,370


Qualified unit(s):

*KM-101BAH

Drain Pump (Beckett Brand) - **HS-5061** - 1 Year Warranty - Parts & labor (*Order as Accessory*) \$530

Recommended Water Filtration - **H9320-51** Single Configuration \$310

233/4 x 28 x *39"
W x D x H



*Height includes 6" legs

78 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-151BAH*	Air-Cooled	115/60/1	121 Lbs.	146 Lbs.	150 Lbs.	\$3,580
KM-151BWH	Water-Cooled	115/60/1	130 Lbs.	146 Lbs.	154 Lbs.	\$3,580

Qualified unit(s):

*KM-151BAH


Recommended Water Filtration - **H9320-51** Single Configuration

\$310



SELF-CONTAINED CUBERS with Built-In Bins

24 x 28 x *39"
W x D x H



*Height includes 6" legs

80 Lbs. Storage


	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-201BAH*	Air-Cooled	115/60/1	165 Lbs.	201 Lbs.	165 Lbs.	\$4,020
KM-201BWH	Water-Cooled	115/60/1	181 Lbs.	215 Lbs.	165 Lbs.	\$4,020

Qualified unit(s):
*KM-201BAH

Recommended Water Filtration - **H9320-51** Single Configuration \$310

KM-201B - Ice bin opening is ADA compliant

30 x 28 x *39"
W x D x H



*Height includes 6" legs

100 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-260BAH*	Air-Cooled	115/60/1	200 Lbs.	263 Lbs.	215 Lbs.	\$4,730
KM-260BWH	Water-Cooled	115/60/1	237 Lbs.	268 Lbs.	215 Lbs.	\$4,730

Qualified unit(s):
*KM-260BAH


Recommended Water Filtration - **H9320-51** Single Configuration \$310

KM-260B - Ice bin opening is ADA compliant

KM CRESCENT CUBERS



30 x 27³/₈ x 22"
W x D x H



Low Profile

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KML-250MAH	Air-Cooled	115/60/1	238 Lbs.	307 Lbs.	185 Lbs.	\$4,450
KML-250MWH	Water-Cooled	115/60/1	284 Lbs.	314 Lbs.	185 Lbs.	\$4,450

See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-51** Single Configuration \$310

22 x 27³/₈ x 30⁵/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-320MAH	Air-Cooled	115/60/1	246 Lbs.	310 Lbs.	153 Lbs.	\$4,590
KM-320MWH	Water-Cooled	115/60/1	318 Lbs.	351 Lbs.	153 Lbs.	\$4,590
KM-320MAH-E*	Air-Cooled	220-240/50/1	105 Kg	133 Kg	79 Kg	\$4,840

* "E" suffix designates 50 hertz models
See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-51** Single Configuration \$310



KM CRESCENT CUBERS

30 x 27³/₈ x 22"
W x D x H




Low Profile

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KML-351MAH	Air-Cooled	115/60/1	282 Lbs.	333 Lbs.	185 Lbs.	\$4,850
KML-351MWH	Water-Cooled	115/60/1	327 Lbs.	345 Lbs.	185 Lbs.	\$4,850

See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

22 x 24 x 24"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMD-410MAH	Air-Cooled	115-120/60/1	324 Lbs.	415 Lbs.	161 Lbs.	\$4,700
KMD-410MWH	Water-Cooled	115-120/60/1	382 Lbs.	440 Lbs.	163 Lbs.	\$4,700

See page 22 for bin and top kit selection
• Check bin guide for appropriate Top Kit
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

30 x 24¹/₄ x 22¹/₈"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMD-450MAH*	Air-Cooled	115-120/60/1	387 Lbs.	457 Lbs.	170 Lbs.	\$5,010
KMD-450MWH	Water-Cooled	115-120/60/1	415 Lbs.	460 Lbs.	170 Lbs.	\$5,010


See page 22 for bin and top kit selection
• Check bin guide for appropriate Top Kit
Recommended Water Filtration - **H9320-51** Single Configuration

Top Kit available B-500 bin

Qualified unit(s):
*KMD-450MAH

\$310

30 x 27³/₈ x 22"
W x D x H



Low Profile

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KML-451MAH*	Air-Cooled	115/60/1	349 Lbs.	401 Lbs.	185 Lbs.	\$5,000
KML-451MWH	Water-Cooled	115/60/1	417 Lbs.	429 Lbs.	185 Lbs.	\$5,000

See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-51** Single Configuration


Qualified unit(s):
*KML-451MAH

\$310



KM CRESCENT CUBERS


22 x 27³/₈ x 30⁵/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-515MAH*	Air-Cooled	115/60/1	450 Lbs.	527 Lbs.	175 Lbs.	\$5,000
KM-515MWH	Water-Cooled	115/60/1	436 Lbs.	500 Lbs.	175 Lbs.	\$5,000
KM-515MRH	Remote A-C	115/60/1	452 Lbs.	491 Lbs.	175 Lbs.	\$4,900
KM-515MAH-E*	Air-Cooled	220-240/50/1	185 Kg	233 Kg	79 Kg	\$5,250
KM-515MAH-P*	Air-Cooled	115/60/1	450 Lbs.	527 Lbs.	175 Lbs.	\$5,850
KM-515MWH-P	Water-Cooled	115/60/1	446 Lbs.	462 Lbs.	175 Lbs.	\$5,850

* "E" suffix designates 50 hertz models - production rates calculated at 70° Air/ 50° Water
 See page 22 for bin and top kit selection
 Use URC-5F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310
 (-P) Exterior fasteners are tamper proof torx pin screws


22 x 27³/₈ x 37⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-600MAH*	Air-Cooled	115-120/60/1	503 Lbs.	592 Lbs.	200 Lbs.	\$5,800

See page 22 for bin and top kit selection
 115 - 120V Supply Voltage
 Recommended Water Filtration - **H9320-52** Twin Configuration \$530
 Qualified unit(s):
 *KM-600MAH

30 x 27³/₈ x 26"
W x D x H




Low Profile

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KML-631MAH	Air-Cooled	208-230/60/1**	497 Lbs.	575 Lbs.	220 Lbs.	\$6,020
KML-631MWH	Water-Cooled	208-230/60/1**	630 Lbs.	632 Lbs.	220 Lbs.	\$6,020
KML-631MRH	Remote A-C	208-230/60/1**	589 Lbs.	636 Lbs.	220 Lbs.	\$5,920

****HS-5030** Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 See page 22 for bin and top kit selection
 Use URC-9F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310

22 x 27³/₈ x 37⁷/₁₆"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-650MAH*	Air-Cooled	208-230/60/1	562 Lbs.	661 Lbs.	200 Lbs.	\$5,820
KM-650MWH	Water-Cooled	208-230/60/1	620 Lbs.	661 Lbs.	200 Lbs.	\$5,820
KM-650MRH	Remote A-C	208-230/60/1	564 Lbs.	632 Lbs.	200 Lbs.	\$5,720
KM-650MAH-E*	Air-Cooled	220-240/50/1**	230 Kg	296 Kg	91 Kg	\$6,070

Previous 4 Wire model - HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 * "E" suffix designates 50 hertz models
 See page 22 for bin and top kit selection
 Use URC-5F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-52** Twin Configuration \$530
 Qualified unit(s):
 *KM-650MAH



KM CRESCENT CUBERS


30 x 24⁵/₈ x 28"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMD-850MAH	Air-Cooled	208-230/60/1	625 Lbs.	772 Lbs.	249 Lbs.	\$7,150
KMD-850MWH	Water-Cooled	208-230/60/1	732 Lbs.	780 Lbs.	249 Lbs.	\$7,150
KMD-850MRH	Remote A-C	208-230/60/1	680 Lbs.	785 Lbs.	235 Lbs.	\$7,050

Previous 4 Wire model - HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 Use URC-9F Condenser for Remote Air-Cooled Unit
 • Check bin guide for appropriate Top Kit
 Recommended Water Filtration - **H9320-52** Twin Configuration \$530


30 x 27³/₈ x 37⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-901MAH	Air-Cooled	208-230/60/1	813 Lbs.	920 Lbs.	256 Lbs.	\$7,750
KM-901MWH	Water-Cooled	208-230/60/1	864 Lbs.	928 Lbs.	249 Lbs.	\$7,750
KM-901MRH	Remote A-C	208-230/60/1	785 Lbs.	889 Lbs.	249 Lbs.	\$7,640
KM-901MRH3	Remote A-C	208-230/60/3	815 Lbs.	899 Lbs.	258 Lbs.	\$7,750
KM-901MAH50	Air-Cooled	220-240/50/1	320 Kg	398 Kg	116 Kg	\$8,440
KM-901MRH50	Remote A-C	220-240/50/1	345 Kg	402 Kg	116 Kg	\$8,340
KM-901MAH-P	Air-Cooled	208-230/60/1	813 Lbs.	920 Lbs.	256 Lbs.	\$8,600
KM-901MWH-P	Water-Cooled	208-230/60/1	864 Lbs.	928 Lbs.	249 Lbs.	\$8,600

Previous 4 Wire model - HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 See page 22 for bin and top kit selection
 Use URC-9F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310
 (-P) Exterior fasteners are tamper proof torx pin screws

30 x 24⁵/₈ x 28"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMD-901MWH	Water-Cooled	208-230/60/1** **3 wire with neutral for 115V	870 Lbs.	876 Lbs.	251 Lbs.	\$8,830
KMD-901MRH	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	775 Lbs.	848 Lbs.	258 Lbs.	\$8,280

****HS-5030** Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 Use URC-9F Condenser for Remote Air-Cooled Unit
 • Check bin guide for appropriate Top Kit
 Recommended Water Filtration - **H9320-52** Twin Configuration \$530



KM CRESCENT CUBERS

48 x 27³/₈ x 27³/₈"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1301SAH	Air-Cooled	208-230/60/1	1164 Lbs.	1329 Lbs.	315 Lbs.	\$9,740
KM-1301SAH3*	Air-Cooled	208-230/60/3	1159 Lbs.	1298 Lbs.	315 Lbs.	\$9,890
KM-1301SWH	Water-Cooled	208-230/60/1	1276 Lbs.	1290 Lbs.	315 Lbs.	\$9,740
KM-1301SWH3	Water-Cooled	208-230/60/3	1300 Lbs.	1333 Lbs.	315 Lbs.	\$9,890
KM-1301SRH*	Remote A-C	208-230/60/1	1222 Lbs.	1353 Lbs.	315 Lbs.	\$9,640
KM-1301SRH3*	Remote A-C	208-230/60/3	1197 Lbs.	1339 Lbs.	315 Lbs.	\$9,790
KM-1301SAH-E*	Air-Cooled	220-240/50/1	455 Kg	505 Kg	143 Kg	\$10,700
KM-1301SAH-P	Air-Cooled	208-230/60/1	1164 Lbs.	1329 Lbs.	315 Lbs.	\$10,590
KM-1301SWH-P	Water-Cooled	208-230/60/1	1276 Lbs.	1290 Lbs.	315 Lbs.	\$10,590

Previous 4 Wire model - HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral)

\$130

Qualified unit(s):

* "E" suffix designates 50 hertz models

*KM-1301SAH3

See page 22 for bin and top kit selection

*KM-1301SRH

Use URC-14F Condenser for Remote Air-Cooled Unit

*KM-1301SRH3

Recommended Water Filtration - **H9320-53** Triple Configuration

\$740

(-P) Exterior fasteners are tamper proof torx pin screws

30 x 27³/₈ x 41¹/₂"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1340MAH	Air-Cooled	208-230/60/1** **3 wire with neutral for 115V	1167 Lbs.	1325 Lbs.	315 Lbs.	\$9,940
KM-1340MWH	Water-Cooled	208-230/60/1** **3 wire with neutral for 115V	1327 Lbs.	1382 Lbs.	293 Lbs.	\$9,940
KM-1340MRH*	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	1251 Lbs.	1401 Lbs.	289 Lbs.	\$9,840

****HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral)**

\$130

Qualified unit(s):

See page 22 for bin and top kit selection

*KM-1340MRH

Use URC-14F Condenser for Remote Air-Cooled Unit

Recommended Water Filtration - **H9320-52** Twin Configuration

\$530

30 x 27³/₈ x 41¹¹/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1601MRH	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	1417 Lbs.	1493 Lbs.	316 Lbs.	\$11,900
KM-1601MRH3*	Remote A-C	208-230/60/3	1391 Lbs.	1486 Lbs.	316 Lbs.	\$12,000

****HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral)**

\$130

Qualified unit(s):

See page 22 for bin and top kit selection

*KM-1601MRH3

Use URC-22F Condenser for Remote Air-Cooled Unit

Recommended Water Filtration - **H9320-52** Twin Configuration

\$530



KM CRESCENT CUBERS


48 x 27³/₈ x 27³/₈"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1601SAH	Air-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1343 Lbs.	1462 Lbs.	315 Lbs.	\$11,780
KM-1601SAH3	Air-Cooled	208-230/60/3	1345 Lbs.	1456 Lbs.	315 Lbs.	\$11,980
KM-1601SWH	Water-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1523 Lbs.	1492 Lbs.	360 Lbs.	\$11,780
KM-1601SWH3	Water-Cooled	208-230/60/3	1565 Lbs.	1555 Lbs.	360 Lbs.	\$12,030
KM-1601SRH	Remote A-C	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1490 Lbs.	1531 Lbs.	350 Lbs.	\$11,680
KM-1601SRH3	Remote A-C	208-230/60/3	1498 Lbs.	1530 Lbs.	350 Lbs.	\$11,880

**HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 See page 22 for bin and top kit selection
 Use URC-22F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - H9320-52 Twin Configuration \$530


48 x 27³/₈ x 36⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1900SAH*	Air-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1560 Lbs.	1867 Lbs.	415 Lbs.	\$12,950
KM-1900SAH3*	Air-Cooled	208-230/60/3	1530 Lbs.	1859 Lbs.	415 Lbs.	\$13,100
KM-1900SWH	Water-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1850 Lbs.	1876 Lbs.	415 Lbs.	\$12,950
KM-1900SWH3	Water-Cooled	208-230/60/3	1814 Lbs.	1825 Lbs.	415 Lbs.	\$13,150
KM-1900SRH*	Remote A-C	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1640 Lbs.	1857 Lbs.	415 Lbs.	\$12,850
KM-1900SRH3	Remote A-C	208-230/60/3	1650 Lbs.	1903 Lbs.	415 Lbs.	\$13,050
KM-1900SAH-P*	Air-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1560 Lbs.	1867 Lbs.	415 Lbs.	\$13,800
KM-1900SWH-P	Water-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1850 Lbs.	1876 Lbs.	415 Lbs.	\$13,800

Qualified unit(s): **HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 *KM-1900SAH See page 22 for bin and top kit selection
 *KM-1900SAH3 Use URC-22F Condenser for Remote Air-Cooled Unit
 *KM-1900SRH Recommended Water Filtration - H9320-52 Twin Configuration \$530
 *KM-1900SAH-P (-P) Exterior fasteners are tamper proof torx pin screws

36 x 40 x 36⁷/₁₆"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMH-2000SWH	Water-Cooled	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1760 Lbs.	1821 Lbs.	415 Lbs.	\$14,840
KMH-2000SWH3	Water-Cooled	208-230/60/3	1729 Lbs.	1861 Lbs.	415 Lbs.	\$14,940
KMH-2000SRH*	Remote A-C	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1694 Lbs.	1944 Lbs.	415 Lbs.	\$14,740
KMH-2000SRH3*	Remote A-C	208-230/60/3	1675 Lbs.	1929 Lbs.	415 Lbs.	\$14,840

Qualified unit(s): **HS-5030 Transformer Kit - 4 wire to 3 wire (eliminates need for dedicated neutral) \$130
 *KMH-2000SRH Use URC-22F Condenser for Remote Air-Cooled Unit
 *KMH-2000SRH3 Recommended Water Filtration - H9320-52 Twin Configuration \$530



KM CRESCENT CUBERS

48 x 27³/₈ x 36⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-2100SWH3	Water-Cooled	208-230/60/3	2050 Lbs.	2096 Lbs.	440 Lbs.	\$15,900
KM-2100SRH3	Remote A-C	208-230/60/3	1810 Lbs.	2034 Lbs.	440 Lbs.	\$15,800

See page 22 for bin and top kit selection
Use URC-22F Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-52** Twin Configuration

\$530

48 x 27³/₈ x 36⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-2500SWH3	Water-Cooled	208-230/60/3	2365 Lbs.	2408 Lbs.	440 Lbs.	\$17,500
KM-2500SRH3	Remote A-C	208-230/60/3	2235 Lbs.	2424 Lbs.	440 Lbs.	\$16,800

See page 22 for bin and top kit selection
Use URC-23F Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-52** Twin Configuration


\$530

KM CRESCENT CUBERS

SERENITY SERIES



22 x 24⁵/₈ x 28"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMS-822MLH	Remote A-C	115/60/1	774 Lbs.	839 Lbs.	152 Lbs.	\$7,200

Extension Bracket - **HS-5062** - For Freestyle Application
Use SRK-10H Condenser for Remote Air-Cooled Unit
Voltage supply for the KMS Ice maker is supplied from the remote condenser
• Check bin guide for appropriate Top Kit
Recommended Water Filtration - **H9320-52** Twin Configuration

\$110

\$530

30 x 16¹/₂ x 29"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMS-830MLH w/SRK-8H	Remote A-C	115/60/1	700 Lbs.	820 Lbs.	137 Lbs.	\$7,600
KMS-830MLH w/SRK-8H3	Remote A-C	115/60/1	690 Lbs.	791 Lbs.	137 Lbs.	\$7,600

Designed for use on Beverage Dispensers
Use SRK-8H or SRK-8H3 Condenser for Remote Air-Cooled Unit
Voltage supply for the KMS Ice maker is supplied from the remote condenser
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

22 x 18 x 31¹/₄"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMS-1122MLH* w/SRK-12H	Remote A-C	115/60/1	985 Lbs.	1100 Lbs.	150 Lbs.	\$8,100
KMS-1122MLH* w/SRK-12H3	Remote A-C	115/60/1	1000 Lbs.	1120 Lbs.	150 Lbs.	\$8,100

Designed for All Make Beverage Dispensers
Use SRK-12H or SRK-12H3 Condenser for Remote Air-Cooled Unit
Voltage supply for the KMS Ice maker is supplied from the remote condenser
Recommended Water Filtration - **H9320-52** Twin Configuration

\$530


Qualified unit(s):
*KMS-1122MLH



KM CRESCENT CUBERS

SERENITY SERIES

30 x 24 x 28"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMS-1401MLJ w/SRK-14J	Remote A-C	115/60/1	1280 Lbs.	1420 Lbs.	177 Lbs.	\$8,120
KMS-1401MLJ w/SRK-14J3	Remote A-C	115/60/1	1280 Lbs.	1400 Lbs.	177 Lbs.	\$8,120

Use SRK-14J or SRK-14J3 Condenser for Remote Air-Cooled Unit
Voltage supply for the KMS Ice maker is supplied from the remote condenser
• Check bin guide for appropriate Top Kit
Recommended Water Filtration - **H9320-52** Twin Configuration

\$530

30 x 24 x 32 7/8"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KMS-2000MLH w/SRK-20H	Remote A-C	115/60/1	1786 Lbs.	1861 Lbs.	206 Lbs.	\$10,050
KMS-2000MLH w/SRK-20H3	Remote A-C	115/60/1	1706 Lbs.	1910 Lbs.	206 Lbs.	\$10,050

Use SRK-20H or SRK-20H3 Condenser for Remote Air-Cooled Unit
Voltage supply for the KMS Ice maker is supplied from the remote condenser
• Check bin guide for appropriate Top Kit
Recommended Water Filtration - **H9320-53** Triple Configuration

\$740



KM CRESCENT CUBERS

48 x 27 3/8 x 27 3/8"
W x D x H



Marine Unit


	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
KM-1400SWH-M	Water-Cooled	208-230/60/1**	1293 Lbs.	1370 Lbs.	315 Lbs.	\$11,150
KM-1400SWH3M	Water-Cooled	208-230/60/3	1255 Lbs.	1343 Lbs.	315 Lbs.	\$11,350

**2 wire
See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-53** Triple Configuration

\$740

IM SQUARE CUBER

44 x 27 5/8 x 21 3/4"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
IM-500SAA*	Air-Cooled	115/60/1	435 Lbs.	500 Lbs.	220 Lbs.	\$7,280


Qualified unit(s):
*IM-500SAA
See page 22 for bin and top kit selection
Stacking Kit - **S-25691 (Order as Accessory)**
Recommended Water Filtration - **H9320-51** Single Configuration

\$460
\$310



SELF-CONTAINED FLAKERS with Built-in Bins

24 x 26 x *39"
W x D x H



*Height includes 6" legs


80 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-330BAH*	Air-Cooled	115/60/1	250 Lbs.	330 Lbs.	178 Lbs.	\$6,700

Qualified unit(s):
*F-330BAH

Four 6" Legs Package (**LP-6P LEG**) included
OPTIONAL
• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available \$180
Recommended Water Filtration - **H9320-51** Single Configuration \$310

36 x 24 x *39"
W x D x H



*Height includes 6" legs

110 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-300BAF*	Air-Cooled	115/60/1	232 Lbs.	303 Lbs.	210 Lbs.	\$7,500

Qualified unit(s):
*F-300BAF

Four 6" Legs Package (**LP-6P LEG**) included
OPTIONAL
• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available \$180
Recommended Water Filtration - **H9320-51** Single Configuration \$310

38 x 29 x *42"
W x D x H



*Height includes 6" legs

250 Lbs. Storage


	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-500BAF*	Air-Cooled	115/60/1	376 Lbs.	501 Lbs.	270 Lbs.	\$8,450

Qualified unit(s):
*F-500BAF

Four 6" Legs Package (**LP-6P LEG**) included
OPTIONAL
• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available \$180
Recommended Water Filtration - **H9320-51** Single Configuration \$310

FLAKERS

22 x 27^{3/8} x 21^{7/8}"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-450MAH	Air-Cooled	115/60/1	385 Lbs.	493 Lbs.	175 Lbs.	\$6,250

See page 22 for bin and top kit selection
Recommended Water Filtration - **H9320-51** Single Configuration \$310

FLAKERS




22 x 27³/₈ x 25¹⁵/₁₆"
W x D x H



		Ice Production Lbs. per 24 Hrs. (AHRI)			Shipping Weight	List F.O.B. PTC
	Condenser	Electrical	90° A / 70° W	70° A / 50° W		
F-801MAH*	Air-Cooled	115/60/1	594 Lbs.	795 Lbs.	205 Lbs.	\$7,800
F-801MWH	Water-Cooled	115/60/1	560 Lbs.	663 Lbs.	205 Lbs.	\$7,960

Qualified unit(s): See page 22 for bin and top kit selection
HS-2120 - Cutter head for finer flaked ice
 *F-801MAH Recommended Water Filtration - **H9320-51** Single Configuration \$150
 \$310


22 x 27³/₈ x 25¹⁵/₁₆"
W x D x H



		Ice Production Lbs. per 24 Hrs. (AHRI)			Shipping Weight	List F.O.B. PTC
	Condenser	Electrical	90° A / 70° W	70° A / 50° W		
F-1001MAJ*	Air-Cooled	115/60/1	740 Lbs.	970 Lbs.	210 Lbs.	\$9,700
F-1001MWJ	Water-Cooled	115/60/1	755 Lbs.	890 Lbs.	210 Lbs.	\$9,750
F-1001MRJ	Remote A-C	115/60/1	745 Lbs.	930 Lbs.	210 Lbs.	\$9,600
F-1001MLJ	Parallel Rack System	115/60/1	885 Lbs.	1150 Lbs.	150 Lbs.	\$8,630

Qualified unit(s): **HS-2120** - Cutter head for finer flaked ice \$150
 Use URC-5F Condenser for Remote Air-Cooled Unit
 *F-1001MAJ Recommended Water Filtration - **H9320-51** Single Configuration \$310


30 x 27¹/₂ x 34⁷/₁₆"
W x D x H



		Ice Production Lbs. per 24 Hrs. (AHRI)			Shipping Weight	List F.O.B. PTC
	Condenser	Electrical	90° A / 70° W	70° A / 50° W		
F-1501MAH*	Air-Cooled	208-230/60/1** **3 wire with neutral for 115V	1110 Lbs.	1590 Lbs.	325 Lbs.	\$12,600
F-1501MWH	Water-Cooled	208-230/60/1** **3 wire with neutral for 115V	1182 Lbs.	1435 Lbs.	325 Lbs.	\$12,630
F-1501MRH*	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	1237 Lbs.	1585 Lbs.	325 Lbs.	\$12,500

Qualified unit(s): See page 22 for bin and top kit selection
 Use URC-14F Condenser for Remote Air-Cooled Unit
 *F-1501MAH Recommended Water Filtration - **H9320-51** Single Configuration \$310
 *F-1501MRH

30 x 27¹/₂ x 34⁷/₁₆"
W x D x H



		Ice Production Lbs. per 24 Hrs. (AHRI)			Shipping Weight	List F.O.B. PTC
	Condenser	Electrical	90° A / 70° W	70° A / 50° W		
F-2001MWH	Water-Cooled	208-230/60/1** **3 wire with neutral for 115V	1642 Lbs.	2030 Lbs.	342 Lbs.	\$17,550
F-2001MRH	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	1592 Lbs.	1990 Lbs.	360 Lbs.	\$17,550
F-2001MRH3	Remote A-C	208-230/60/3	1608 Lbs.	2010 Lbs.	360 Lbs.	\$17,650
F-2001MLH	Parallel Rack System	115/60/1	1733 Lbs.	2280 Lbs.	250 Lbs.	\$15,350

See page 22 for bin and top kit selection
 Use URC-22F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310

SELF-CONTAINED CUBELETS with Built-in Bins

147/8 x 225/8 x 331/2"
W x D x H




147/8 x 225/8 x 311/2"
W x D x H

-ADA Compliant
Dimensions

22 Lbs. Storage

24 x 26 x *39"
W x D x H



*Height includes 6" legs

80 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
C-101BAH*	Air-Cooled	115/60/1	62 Lbs.	92 Lbs.	115 Lbs.	\$4,890
C-101BAH-DS**	Air-Cooled	115/60/1	62 Lbs.	92 Lbs.	115 Lbs.	\$5,140
C-101BAH-AD*	Air-Cooled	115/60/1	62 Lbs.	92 Lbs.	115 Lbs.	\$4,890
C-101BAH-ADDS**	Air-Cooled	115/60/1	62 Lbs.	92 Lbs.	115 Lbs.	\$5,140

Qualified unit(s):

- *C-101BAH
- *C-101BAH-DS
- *C-101BAH-AD
- *C-101BAH-ADDS

*-DS Models - Wood Door System (Designed to accommodate custom cabinetry)

-DS Door Reversal Part - **HS-0229** - Available as a Service Part

Drain Pump (Beckett Brand) - **HS-5061** - 1 Year Warranty - Parts & labor (**Order as Accessory**)

Side Trim Kit - **HS-0182**

2" Top Spacer Kit available - **HS-2133**

Recommended Water Filtration - **H9320-51** Single Configuration

\$530

\$200

\$140

\$310

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-330BAH-C*	Air-Cooled	115/60/1	230 Lbs.	320 Lbs.	178 Lbs.	\$6,850

Qualified unit(s):

- *F-300BAH-C

Four 6" Legs Package (**LP-6P LEG**) included

OPTIONAL

* Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available


Recommended Water Filtration - **H9320-51** Single Configuration

\$180

\$310

CUBELETS

22 x 273/8 x 217/8"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-450MAH-C	Air-Cooled	115/60/1	332 Lbs.	431 Lbs.	175 Lbs.	\$6,400


See page 22 for bin and top kit selection

Recommended Water Filtration - **H9320-51** Single Configuration

\$310

***Not recommended for dispensing applications**

22 x 24 x 26"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
FD-650MAH-C*	Air-Cooled	115/60/1	474 Lbs.	650 Lbs.	205 Lbs.	\$7,400
FD-650MWH-C	Water-Cooled	115/60/1	532 Lbs.	615 Lbs.	205 Lbs.	\$7,400
FD-650MRH-C	Remote A-C	115/60/1	476 Lbs.	590 Lbs.	205 Lbs.	\$7,300

Qualified unit(s):

- *FD-650MAH-C

* Check bin guide for appropriate Top Kit

Use URC-5F Condenser for Remote Air-Cooled Unit


Recommended Water Filtration - **H9320-51** Single Configuration

\$310



CUBELETS

22 x 27³/₈ x 25¹⁵/₁₆"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-801MAH-C*	Air-Cooled	115/60/1	559 Lbs.	728 Lbs.	205 Lbs.	\$8,050
F-801MWH-C	Water-Cooled	115/60/1	535 Lbs.	627 Lbs.	205 Lbs.	\$8,060

Qualified unit(s):
*F-801MAH-C

See page 22 for bin and top kit selection
HS-2110 - Required for Ice Beverage Application \$150
HS-5034 - Required for Freestyle Applications \$140
 Recommended Water Filtration - **H9320-51** Single Configuration \$310


22 x 27³/₈ x 25¹⁵/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-1001MAJ-C	Air-Cooled	115/60/1	656 Lbs.	910 Lbs.	210 Lbs.	\$9,800
F-1001MWJ-C	Water-Cooled	115/60/1	703 Lbs.	790 Lbs.	210 Lbs.	\$9,850
F-1001MRJ-C	Remote A-C	115/60/1	683 Lbs.	840 Lbs.	210 Lbs.	\$9,750

HS-2110 - Required for Ice Beverage Application \$150
 Use URC-5F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310

22 x 24 x 26"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
FD-1001MAJ-C*	Air-Cooled	115/60/1	695 Lbs.	940 Lbs.	205 Lbs.	\$10,300
FD-1001MRJ-C	Remote A-C	115/60/1	720 Lbs.	930 Lbs.	205 Lbs.	\$10,140

Qualified unit(s):
*FD-1001MAJ-C

Recommended Water Filtration - **H9320-51** Single Configuration \$310

30 x 27¹/₂ x 34⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-1501MAH-C	Air-Cooled	208-230/60/1** **3 wire with neutral for 115V	939 Lbs.	1300 Lbs.	325 Lbs.	\$12,730
F-1501MWH-C	Water-Cooled	208-230/60/1** **3 wire with neutral for 115V	924 Lbs.	1125 Lbs.	325 Lbs.	\$12,730
F-1501MRH-C*	Remote A-C	208-230/60/1** **3 wire with neutral for 115V	1064 Lbs.	1335 Lbs.	315 Lbs.	\$12,630

Qualified unit(s):
*F-1501MRH-C

See page 22 for bin and top kit selection
 Use URC-14F Condenser for Remote Air-Cooled Unit
 Recommended Water Filtration - **H9320-51** Single Configuration \$310

CUBELETS

30 x 27¹/₂ x 34⁷/₁₆"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
F-2001MRH-C	Remote A-C	208-230/60/1** <small>**3 wire with neutral for 115V</small>	1496 Lbs.	1814 Lbs.	360 Lbs.	\$17,650


See page 22 for bin and top kit selection
Use URC-22F Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

CUBELETS

SERENITY SERIES

30 x 11 x 26"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
FS-1001MLH-C	Remote A-C	115/60/1	705 Lbs.	830 Lbs.	166 Lbs.	\$9,200

Use SRC-10H Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

22 x 16¹/₂ x 26"
W x D x H




	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
FS-1022MLH-C	Remote A-C	115/60/1	705 Lbs.	830 Lbs.	166 Lbs.	\$9,200

Use SRC-10H Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-51** Single Configuration

\$310

30 x 16¹/₂ x 33"
W x D x H



	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
FS-1500MLH-C	Remote A-C	115/60/1	1165 Lbs.	1491 Lbs.	222 Lbs.	\$11,800


Use SRC-14H Condenser for Remote Air-Cooled Unit
Recommended Water Filtration - **H9320-51** Single Configuration

\$310



CUBELET ICE and WATER DISPENSERS

16⁹/₁₆ x 24¹/₈ x 31¹¹/₁₆"
W x D x H



*Height includes 4" legs

8.8 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-270BAH	Air-Cooled	115/60/1	215 Lbs.	282 Lbs.	165 Lbs.	\$7,050


Four 4" Legs included
OPTIONAL

- Four 4" Stainless Steel Legs Package (**LP-4 LEG**) available
- Machine Stand: **SD-270**
- Seismic Kit (**HS-2070**)
- Wall Mount Kit (**HS-2104**)

Recommended Water Filtration - **H9320-51** Single Configuration

\$160
\$1,150
\$140
\$710
\$310

26 x 22¹/₂ x 40"
W x D x H



40 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-300BAH	Air-Cooled	115/60/1	232 Lbs.	321 Lbs.	240 Lbs.	\$8,920


Unit supplied without legs:
OPTIONAL

- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-450 OR SD-500**
- Seismic Kit (**HS-2066**)
- Leg Seismic Kit (**HS-2071**)

Recommended Water Filtration - **H9320-51** Single Configuration

\$170
\$180
\$1,110 / 1,240
\$150
\$320
\$310

26 x 22¹/₂ x 40"
W x D x H



40 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-500BAH	Air-Cooled	115/60/1	450 Lbs.	618 Lbs.	276 Lbs.	\$10,670
DCM-500BWH	Water-Cooled	115/60/1	495 Lbs.	567 Lbs.	269 Lbs.	\$10,670


Unit supplied without legs:
OPTIONAL

- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-450 OR SD-500**
- Seismic Kit (**HS-2066**)
- Leg Seismic Kit (**HS-2071**)

Recommended Water Filtration - **H9320-51** Single Configuration

\$170
\$180
\$1,110 / 1,240
\$150
\$320
\$310

34¹/₁₆ x 28¹/₂ x 48¹/₁₆"
W x D x H



95 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-751BAH	Air-Cooled	115/60/1	583 Lbs.	801 Lbs.	345 Lbs.	\$14,990
DCM-751BWH	Water-Cooled	115/60/1	685 Lbs.	800 Lbs.	345 Lbs.	\$14,990

Unit supplied without legs:
OPTIONAL

- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-700 OR SD-750**
- Seismic Kit (**HS-2067**)
- Leg Seismic Kit (**HS-2072**)


Recommended Water Filtration - **H9320-51** Single Configuration

\$170
\$180
\$1,220 / 1,570
\$190
\$320
\$310

CUBELET ICE and WATER DISPENSERS (Hands-Free)



16⁹/₁₆ x 24¹/₈ x 31¹¹/₁₆"
W x D x H



*Height includes 4" legs

8.8 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-270BAH-OS	Air-Cooled	115/60/1	220 Lbs.	288 Lbs.	165 Lbs.	\$7,050

OPTI-SERVE

Four 4" Legs included
OPTIONAL


- Four 4" Stainless Steel Legs Package (**LP-4 LEG**) available
- Machine Stand: **SD-270**
- Seismic Kit (**HS-2070**)
- Wall Mount Kit (**HS-2104**)

\$160
\$1,150
\$140
\$710
\$310

Recommended Water Filtration - **H9320-51** Single Configuration

****Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.**

26 x 22¹/₂ x 40"
W x D x H



40 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-300BAH-OS	Air-Cooled	115/60/1	232 Lbs.	321 Lbs.	240 Lbs.	\$8,920

OPTI-SERVE

Unit supplied without legs:
OPTIONAL


- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-450 OR SD-500**
- Seismic Kit (**HS-2066**)
- Leg Seismic Kit (**HS-2071**)

\$170
\$180
\$1,110 / 1,240
\$150
\$320
\$310

Recommended Water Filtration - **H9320-51** Single Configuration

****Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.**

26 x 22¹/₂ x 40"
W x D x H



40 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-500BAH-OS	Air-Cooled	115/60/1	450 Lbs.	618 Lbs.	290 Lbs.	\$10,670
DCM-500BWH-OS	Water-Cooled	115/60/1	495 Lbs.	567 Lbs.	290 Lbs.	\$10,670

OPTI-SERVE

Unit supplied without legs:
OPTIONAL


- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-450 OR SD-500**
- Seismic Kit (**HS-2066**)
- Leg Seismic Kit (**HS-2071**)

\$170
\$180
\$1,110 / 1,240
\$150
\$320
\$310

Recommended Water Filtration - **H9320-51** Single Configuration

****Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.**

34¹/₁₆ x 28¹/₂ x 48¹/₁₆"
W x D x H



95 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DCM-751BAH-OS	Air-Cooled	115/60/1	583 Lbs.	801 Lbs.	345 Lbs.	\$14,990
DCM-751BWH-OS	Water-Cooled	115/60/1	685 Lbs.	800 Lbs.	345 Lbs.	\$14,990

OPTI-SERVE

Unit supplied without legs:
OPTIONAL

- Four 6" Painted Legs Package (**LP-6P LEG**) available
- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Machine Stand: **SD-700 OR SD-750**
- Seismic Kit (**HS-2067**)
- Leg Seismic Kit (**HS-2072**)

\$170
\$180
\$1,220 / 1,570
\$190
\$320
\$310

Recommended Water Filtration - **H9320-51** Single Configuration


****Hands-free sensor designed for use with opaque containers. Not intended for outdoor use - avoid placement in direct sunlight.**

KM CUBER HOTEL ICE MACHINE and DISPENSER

SERENITY SERIES



30 x 28 x 77"
W x D x H



*Height includes 6" legs

200 Lbs. Storage

	Condenser	Electrical	Ice Production Lbs. per 24 Hrs. (AHRI)		Shipping Weight	List F.O.B. PTC
			90° A / 70° W	70° A / 50° W		
DKM-500BAH*	Air-Cooled	115/60/1	406 Lbs.	466 Lbs.	410 Lbs.	\$10,400
DKM-500BWH	Water-Cooled	115/60/1	439 Lbs.	455 Lbs.	372 Lbs.	\$10,400

Qualified unit(s):
*DKM-500BAH

Four 6" Legs included
OPTIONAL
• 6" Casters - Set of 4 (**HS-3586**)
• Water Valve Accessory (**HS-2127**)
Recommended Water Filtration - **H9320-51** Single Configuration

\$390
\$290
\$310

DKM-500B - Ice dispensing area is ADA compliant



DISPENSERS

22 x 30 x 53"
W x D x H



130 Lbs. Storage


	Condenser	Electrical	Compatible with KM Cuber Ice Machines	Shipping Weight	List F.O.B. PTC
DB-130H	Air-Cooled	115/60/1	KM-320M, KM-515M, KM-600M, KM-650M	215 Lbs.	\$4,850

Four Painted 6" Flange Legs included
OPTIONAL
• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available
• Coin/Token Mechanism Kit
• Tokens - 100 per set
• Card Mechanism Kit (**HS-2043**)
• Chute/grill (**HS-2109**)

\$220
\$1,100
\$220
\$430
\$270

Note: 90 Day Warranty on accessory parts

30 x 30 x 53"
W x D x H



200 Lbs. Storage

	Condenser	Electrical	Compatible with KM Cuber Ice Machines	Shipping Weight	List F.O.B. PTC
DB-200H	Air-Cooled	115/60/1	KML Series, KM-320M, KM-515M, KM-600M, KM-650M	240 Lbs.	\$5,450

Four Painted 6" Legs included
If **KM-320M, KM-515M, KM-600M** or **KM-650M** used, unit requires Top Kit - DB (HS-2036)
OPTIONAL
• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
• Coin/Token Mechanism Kit
• Tokens - 100 per set
• Card Mechanism Kit (**HS-2043**)
• Chute/grill (**HS-2109**)

\$160
\$180
\$1,100
\$220
\$430
\$270

Note: 90 Day Warranty on accessory parts

30 x 28 x 36^{3/8}"
W x D x H



30 x 28 x 40^{3/8}"
*Height includes
4" optional legs

200 Lbs. Storage

	Electrical	Compatible with KM Cuber Ice Machines	Shipping Weight	List F.O.B. PTC
DM-200B ICE and WATER DISPENSER	115/60/1	KML Series, KM-320M, KM-515M, KM-600M, KM-650M	240 Lbs.	\$5,300

Unit supplied without legs
If **KM-320M, KM-515M, KM-600M** or **KM-650M** used, unit requires Top Kit - DB (HS-2036)
OPTIONAL
• Four 4" Black Die Cast Legs Kit (**DM Legs**)
• Machine Stand: **SD-200**

\$130
\$1,570

ICE STORAGE BINS

30 x 32 1/2 x 33 3/8"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-250PF	Vinyl Clad	230 Lbs.	250 Lbs.	130 Lbs.	\$1,470


Four 6" Painted Legs included
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Order 8" Top Kit (**HS-2033**) to accommodate 22"W ice machines

\$180
\$170

Refer to Top Kit Matrix for necessary configurations

22 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-300SF	Stainless Steel	260 Lbs.	300 Lbs.	135 Lbs.	\$1,690
B-300PF	Vinyl Clad	260 Lbs.	300 Lbs.	135 Lbs.	\$1,590


Four 6" Painted Flange Legs included
OPTIONAL

- Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available

\$220

Refer to Top Kit Matrix for necessary configurations

22 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
BD-300SF	Stainless Steel	260 Lbs.	300 Lbs.	135 Lbs.	\$1,730
BD-300PF	Vinyl Clad	260 Lbs.	300 Lbs.	135 Lbs.	\$1,630

For use with **KMD-410M, KMS-822M, FD-650M-C, FD-1001M-C**

Four 6" Painted Flange Legs included

***BD Bins fit 24" to 24 1/2" deep Ice Machines without Top Kit extension**


OPTIONAL

- Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available

\$220

Refer to Top Kit Matrix for necessary configurations

30 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-500SF	Stainless Steel	360 Lbs.	500 Lbs.	155 Lbs.	\$1,870
B-500PF	Vinyl Clad	360 Lbs.	500 Lbs.	155 Lbs.	\$1,720

Four 6" Painted Legs included
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- Order 8" Top Kit (**HS-2033**) to accommodate 22"W ice machines
- Top Kit: **KMD application - HS-2129**

\$180
\$170
\$220

Refer to Top Kit Matrix for necessary configurations

ICE STORAGE BINS

30 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
BD-500SF	Stainless Steel	360 Lbs.	500 Lbs.	155 Lbs.	\$1,920
BD-500PF	Vinyl Clad	360 Lbs.	500 Lbs.	155 Lbs.	\$1,800

For use with **KMD-450M, KMD-850M, FD-650M-C**

Four 6" Painted Legs included

*BD Bins fit 24" to 24 1/2" deep Ice Machines without Top Kit extension

OPTIONAL

• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available

\$180

44 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-700SF	Stainless Steel	550 Lbs.	700 Lbs.	200 Lbs.	\$2,390
B-700PF	Vinyl Clad	550 Lbs.	700 Lbs.	200 Lbs.	\$1,970

Four 6" Painted Legs included

OPTIONAL

• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available

\$180

• Order 22" Top Kit (**HS-2035**) to accommodate 22"W ice machines

\$190

• Order 14" Top Kit (**HS-2034**) to accommodate 30"W ice machines

\$180

• Top Kit: **KMD application - HS-2130**

\$250

Refer to Top Kit Matrix for necessary configurations

48 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-800SF	Stainless Steel	600 Lbs.	800 Lbs.	210 Lbs.	\$2,550
B-800PF	Vinyl Clad	600 Lbs.	800 Lbs.	210 Lbs.	\$2,200

Four 6" Painted Legs included

OPTIONAL

• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available

\$180

• Order 22" Top Kit (**HS-2035**) & 4" Top Kit (**HS-2032**) to accommodate 22"W ice machines

\$350

• Order 4" Top Kit (**HS-2032**) to accommodate (2)22"W ice machines

\$160

• Order 14" Top Kit (**HS-2034**) & 4" Top Kit (**HS-2032**) to accommodate 30"W machines


\$340

• Top Kit: **KMD application - HS-2131**

\$310

Refer to Top Kit Matrix for necessary configurations

52 x 32 1/2 x 46"
W x D x H



Height includes 6" legs

	Exterior Finish	Ice Storage Capacity - Lbs.		Shipping Weight	List F.O.B. PTC
		AHRI Capacity	Application Capacity		
B-900SF	Stainless Steel	660 Lbs.	900 Lbs.	220 Lbs.	\$2,650
B-900PF	Vinyl Clad	660 Lbs.	900 Lbs.	220 Lbs.	\$2,350

Four 6" Painted Legs included

OPTIONAL

• Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available

\$180

• Order 22" Top Kit (**HS-2035**) to accommodate 30"W ice machines

\$190

• Order 22" Top Kit (**HS-2035**) & 8" Top Kit (**HS-2033**) to accommodate 22"W ice machines

\$360

• Order 8" Top Kit (**HS-2033**) to accommodate (2)22"W machines

\$170

• Order 4" Top Kit (**HS-2032**) to accommodate 48"W ice machines

\$160


• Top Kit: **KMD application - HS-2132**

\$380

Refer to Top Kit Matrix for necessary configurations

ICE STORAGE BINS

48 x 41" x 60"
W x D x H



Height includes 6" legs


	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
B-1150SS	Stainless Steel	1150 Lbs.	345 Lbs.	\$5,330

Four 6" Die-cast Legs included, baffle design increases ice accessibility by 30%
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- *Universal top included - Check Top Kit Application Guide for detail
- **Depth including 10" for door installation

\$180

48 x 41" x 66"
W x D x H



Height includes 6" legs


	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
B-1300SS	Stainless Steel	1275 Lbs.	365 Lbs.	\$5,430

Four 6" Die-cast Legs included, baffle design increases ice accessibility by 30%
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- *Universal top included - Check Top Kit Application Guide for detail
- **Depth including 10" for door installation

\$180

60 x 41" x 62"
W x D x H



Height includes 6" legs


	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
B-1500SS	Stainless Steel	1500 Lbs.	395 Lbs.	\$6,130

Four 6" Die-cast Legs included, baffle design increases ice accessibility by 30%
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- *Universal top included - Check Top Kit Application Guide for detail
- **Depth including 10" for door installation

\$180

60 x 41" x 66"
W x D x H



Height includes 6" legs

	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
B-1650SS	Stainless Steel	1605 Lbs.	415 Lbs.	\$6,280


Four 6" Die-cast Legs included, baffle design increases ice accessibility by 30%
OPTIONAL

- Four 6" Stainless Steel Legs Package (**LP-6 LEG**) available
- *Universal top included - Check Top Kit Application Guide for detail
- **Depth including 10" for door installation

\$180

ICE BAGGING SYSTEMS


30 x 36 x 71"
W x D x H



	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
HCD-500B	Stainless Steel	647 Lbs.	510 Lbs.	\$17,180

48" heavy duty ice paddle included

48 x 36 x 71"
W x D x H



	Ice Storage Capacity - Lbs.			List F.O.B. PTC
	Exterior Finish	Application Capacity	Shipping Weight	
HCD-1000B	Stainless Steel	1078 Lbs.	590 Lbs.	\$20,900

48" heavy duty ice paddle included

TOP KIT MATRIX

22" Width	22" Width	30" Width	30" Width	44" Width	44" Width	48" Width	60" Width
KM-320M	KMD-410M	KM-901M	KMD-450M	2 KM-320M	2 KMD-410M	KM-1301S	2 KM-901M*
KM-515M	KMS-822M	KM-1340M	KMD-850M	2 KM-515M	2 KMS-822M	KM-1400S	2 KM-1340M
KM-600M	FD-650M-C	KM-1601M	KMD-901MRH	2 KM-600M	2 FD-650M-C	KM-1601S	2 KM-1601M
KM-650M	FD-1001M-C	KML Series	KMD-901MWH	2 KM-650M	2 FD-1001M-C	KM-1900S	2 KML Series
F-450M		F-1501M	KMS-1401M	IM-500S*		KM-2100S	2 F-1501M
F-801M		F-2001M	KMS-2000M	2 F-450M		KM-2500S	2 F-2001M
F-1001M				2 F-801M			2 KMD-850M
				2 F-1001M			2 KMD-901M

22" Width B-300PF/SF	NO TOP KIT NEEDED	N/A	N/A	N/A	N/A	N/A	N/A
30" Width B-250PF B-500PF/SF	NEED HS-2033	NEED HS-2033 & HS-2129	NO TOP KIT NEEDED	NEED HS-2129 NO TOP KIT NEEDED	N/A	N/A	N/A
44" Width B-700PF/SF	NEED HS-2035	NEED HS-2035 & HS-2130	NEED HS-2034	NEED HS-2130 & HS-2034	NO TOP KIT NEEDED	NEED HS-2130	N/A
48" Width B-800PF/SF	NEED HS-2035 & HS-2032	NEED HS-2035 & HS-2032/2131	NEED HS-2034 & HS-2032	NEED HS-2131 & HS-2034/2032	NEED HS-2032	NEED HS-2032 & HS-2131	NO TOP KIT NEEDED N/A
48" Width B-1150SS B-1300SS	UNIVERSAL TOP KIT INCLUDED	N/A	UNIVERSAL TOP KIT INCLUDED	UNIVERSAL TOP KIT INCLUDED NEED HS-2147	N/A	N/A	UNIVERSAL TOP KIT INCLUDED N/A
52" Width B-900PF/SF	NEED HS-2035 & HS-2033	NEED HS-2035 & HS-2033/2132	NEED HS-2035	NEED HS-2132 & HS-2035	NEED HS-2033	NEED HS-2033 & HS-2132	NEED HS-2032 N/A
60" Width B-1500SS B-1650SS	N/A	N/A	UNIVERSAL TOP KIT INCLUDED NEED HS-2111	N/A	UNIVERSAL TOP KIT INCLUDED *(N/A for IM-500)	N/A	UNIVERSAL TOP KIT INCLUDED UNIVERSAL TOP KIT INCLUDED
30" Width DB-200H	NEED HS-2036 (DB-TOP KIT)	NEED HS-2036 (DB-TOP KIT) & HS-2148	NO TOP KIT NEEDED	HS-2148 (KMD-450 ONLY)	N/A	N/A	N/A

Any KMS* or FD on bin need Top Kit Extension:

- HS-2129 - for use with B-500 bins	\$220
- HS-2130 - for use with B-700 bins	\$250
- HS-2131 - for use with B-800 bins	\$310
- HS-2132 - for use with B-900 bins	\$380
- HS-2147 - for use with B-1150 & 1300 bins	\$190

*Excludes KMS-830MLH

HS-2032 - 4" ABS Top Kit	\$160
HS-2033 - 8" ABS Top Kit	\$170
HS-2034 - 14" ABS Top Kit	\$180
HS-2035 - 22" ABS Top Kit	\$190
HS-2036 - (2) 4" ABS Top Kits	\$160
HS-2111 - 11.3" x 26.2" Stainless Cover/Separator	N/C
HS-2148 - 30" x 3.1" Stainless Cover	\$120

BD Bin Applications - see page 18 & 19

* HS-2160 - for use with 2 KM-901M \$730

REMOTE CONDENSERS

24 x 18¹/₈ x 32¹³/₁₆"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
URC-5F	115/60/1	R-404A	60 Lbs.	\$1,390

For use with **KM-515MRH, KM-650MRH, FD-650MRH-C, FD-1001MRJ-C, F-1001MRJ(-C)**

Tubing Kit: **R404-2046-2** 20' Pre-charged R-404A \$340
R404-3546-2 35' Pre-charged R-404A \$440

HS-2150 - Quick-Connect Kit (not required if line set is ordered) \$180

35¹¹/₁₆ X 25³/₈ X 37"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-8H	230/60/1**	R-404A	206 Lbs.	\$2,700

**3 wire with neutral for 115V

For use with **KMS-830MLH**

Tubing Kit: **HS-0250** 25' Brazing Required R-404A \$340
HS-0251 35' Brazing Required R-404A \$440
HS-0252 55' Brazing Required R-404A \$550

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

35¹¹/₁₆ X 25³/₈ X 37"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-8H3	230/60/3	R-404A	206 Lbs.	\$2,950

For use with **KMS-830MLH**

Tubing Kit: **HS-0250** 25' Brazing Required R-404A \$340
HS-0251 35' Brazing Required R-404A \$440
HS-0252 55' Brazing Required R-404A \$550

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

34⁵/₁₆ X 18¹/₈ X 36¹⁵/₁₆"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
URC-9F	115/60/1	R-404A	95 Lbs.	\$1,540


For use with **KML-631MRH, KMD-850MRH, KM-901MRH(3), KM-901MRH50, KMD-901MRH**

Tubing Kit: **R404-2068-2** 20' Pre-charged R-404A \$340
R404-3568-2 35' Pre-charged R-404A \$440
R404-5568-2 55' Pre-charged R-404A \$550

HS-2150 - Quick-Connect Kit (not required if line set is ordered) \$180

REMOTE CONDENSERS

30¹/₄ x 25³/₈ x 34⁷/₈"
W x D x H




Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRC-10H	230/60/1	R-404A	180 Lbs.	\$3,100

For use with **FS-1001MLH-C, FS-1022MLH-C**

Tubing Kit: R404-20410	20' Pre-charged	R-404A	\$340
R404-35410	35' Pre-charged	R-404A	\$440
R404-55410	55' Pre-charged	R-404A	\$550

52³/₈ x 19¹/₂ x 43"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-10H	230/60/1**	R-404A	273 Lbs.	\$3,000

**3 wire with neutral for 115V


For use with **KMS-822MLH**

Tubing Kit: HS-0250	25' Brazing Required	R-404A	\$340
HS-0251	35' Brazing Required	R-404A	\$440
HS-0252	55' Brazing Required	R-404A	\$550

HS-0231 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

52³/₈ x 19¹/₂ x 43"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-12H	230/60/1**	R-404A	275 Lbs.	\$3,400

**3 wire with neutral for 115V


For use with **KMS-1122MLH**

Tubing Kit: R404-20810	20' Pre-charged	R-404A	\$340
R404-35810	35' Pre-charged	R-404A	\$470
R404-55810	55' Pre-charged	R-404A	\$580

HS-0231 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

52³/₈ x 19¹/₂ x 43"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-12H3	230/60/3	R-404A	275 Lbs.	\$3,500

For use with **KMS-1122MLH**


Tubing Kit: R404-20810	20' Pre-charged	R-404A	\$340
R404-35810	35' Pre-charged	R-404A	\$470
R404-55810	55' Pre-charged	R-404A	\$580

HS-0231 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

REMOTE CONDENSERS

37⁷/₈ x 25¹/₂ x 37"
W x D x H




Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRC-14H	230/60/1	R-404A	235 Lbs.	\$3,850

For use with **FS-1500MLH-C**

Tubing Kit: R404-20610	20' Pre-charged	R-404A	\$340
R404-35610	35' Pre-charged	R-404A	\$440
R404-55610	55' Pre-charged	R-404A	\$580

52³/₈ x 19¹/₂ x 43"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-14J	230/60/1**	R-404A	275 Lbs.	\$4,000

**3 wire with neutral for 115V


For use with **KMS-1401MLJ**

Tubing Kit: R404-20810	20' Pre-charged	R-404A	\$340
R404-35810	35' Pre-charged	R-404A	\$470
R404-55810	55' Pre-charged	R-404A	\$580

HS-0231 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

52³/₈ x 19¹/₂ x 43"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-14J3	230/60/3	R-404A	275 Lbs.	\$4,100

For use with **KMS-1401MLJ**

Tubing Kit: R404-20810	20' Pre-charged	R-404A	\$340
R404-35810	35' Pre-charged	R-404A	\$470
R404-55810	55' Pre-charged	R-404A	\$580

HS-0231 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

37¹³/₁₆ x 18¹/₈ x 37"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
URC-14F	115/60/1	R-404A	110 Lbs.	\$1,580

For use with **KM-1301SRH(3), KM-1340MRH, F-1501MRH(-C)**


Tubing Kit: R404-2068-2	20' Pre-charged	R-404A	\$340
R404-3568-2	35' Pre-charged	R-404A	\$440
R404-5568-2	55' Pre-charged	R-404A	\$550

HS-2150 - Quick-Connect Kit (not required if line set is ordered) \$180

HS-5102 - Hail Guard Kit \$100

REMOTE CONDENSERS

62 x 21 x 45"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-20H	230/60/1**	R-404A	325 Lbs.	\$8,110


**3 wire with neutral for 115V

For use with **KMS-2000MLH**

Tubing Kit: HS-0243	25' Brazing Required	R-404A	\$340
HS-0244	35' Brazing Required	R-404A	\$440
HS-0245	55' Brazing Required	R-404A	\$590

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

62 x 21 x 45"
W x D x H



Dimensions include legs


	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
SRK-20H3	230/60/3	R-404A	325 Lbs.	\$8,220

For use with **KMS-2000MLH**

Tubing Kit: HS-0243	25' Brazing Required	R-404A	\$340
HS-0244	35' Brazing Required	R-404A	\$440
HS-0245	55' Brazing Required	R-404A	\$590

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

46³/₈ x 17¹/₄ x 40¹/₂"
W x D x H



Dimensions include legs


	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
URC-22F	115/60/1	R-404A	165 Lbs.	\$2,260

For use with **KM-1601MRH(3), KM-1601SRH(3), KM-1900SRH(3), KM-2100SRH3, KMH-2000SRH(3), F-2001MRH(3)(-C)**

Tubing Kit: R404-20610	20' Pre-charged	R-404A	\$340
R404-35610	35' Pre-charged	R-404A	\$440
R404-55610	55' Pre-charged	R-404A	\$580

HS-2150 - Quick-Connect Kit (not required if line set is ordered)	\$180
HS-5095 - Hail Guard Kit	\$140

46³/₈ x 17¹/₄ x 40¹/₂"
W x D x H



Dimensions include legs

	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
URC-23F	115/60/1	R-404A	169 Lbs.	\$2,980

For use with **KM-2500SRH3**

Tubing Kit: R404-20610	20' Pre-charged	R-404A	\$340
R404-35610	35' Pre-charged	R-404A	\$440
R404-55610	55' Pre-charged	R-404A	\$580

HS-2150 - Quick-Connect Kit (not required if line set is ordered)	\$180
HS-5095 - Hail Guard Kit	\$140

REMOTE CONDENSER MATRIX

	Ice Machines	Shipping Weight	Line Sets - PRE-CHARGED		
			20' Length	35' Length	55' Length
URC-5F	KM-515MRH, KM-650MRH FD-650MRH-C, FD-1001MRJ-C, F-1001MRJ(-C)	60 Lbs.	R404-2046-2	R404-3546-2	N/A
URC-9F	KML-631MRH, KMD-850MRH, KM-901MRH(3) KM-901MRH50, KMD-901MRH	95 Lbs.	R404-2068-2	R404-3568-2	R404-5568-2
SRC-10H	FS-1001MLH-C, FS-1022MLH-C	180 Lbs.	R404-20410	R404-35410	R404-55410
SRK-12H SRK-12H3	KMS-1122MLH	275 Lbs.	R404-20810	R404-35810	R404-55810
SRC-14H	FS-1500MLH-C	235 Lbs.	R404-20610	R404-35610	R404-55610
SRK-14J SRK-14J3	KMS-1401MLJ	275 Lbs.	R404-20810	R404-35810	R404-55810
URC-14F	KM-1301SRH(3), KM-1340MRH, F-1501MRH(-C)	110 Lbs.	R404-2068-2	R404-3568-2	R404-5568-2
URC-22F	KM-1601MRH(3), KM-1601SRH(3), KM-1900SRH(3) KM-2100SRH3, KMH-2000SRH(3), F-2001MRH(3)(-C)	165 Lbs.	R404-20610	R404-35610	R404-55610
URC-23F	KM-2500SRH3	273 Lbs.	R404-20610	R404-35610	R404-55610


		Shipping Weight	Line Sets - BRAZING REQUIRED		
			25' Length	35' Length	55' Length
SRK-8H SRK-8H3	KMS-830MLH	206 Lbs.	HS-0250*	HS-0251*	HS-0252*
SRK-10H	KMS-822MLH	273 Lbs.	HS-0250*	HS-0251*	HS-0252*
SRK-20H SRK-20H3	KMS-2000MLH	325 Lbs.	HS-0243*	HS-0244*	HS-0245*

* Line sets require Refrigerant

HS-5110 - Any Serenity Condenser (SRK) - 55' Wire Kit, please call Factory.

ICE MACHINE STANDS

30 x 28 x 32^{13/16}"
W x D x H



Dimensions include legs

	For Use With	Shipping Weight	List F.O.B. PTC
SD-200	DM-200 Series	125 Lbs.	\$1,570

Doors Standard, Four 6" Painted Flange Legs included
OPTIONAL

• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available \$220

16^{1/2} x 24 x 35^{3/16}"
W x D x H




Dimensions include legs

	For Use With	Shipping Weight	List F.O.B. PTC
SD-270	DCM-270 Series	95 Lbs.	\$1,150

Doors Standard, Four 6" Painted Flange Legs included
OPTIONAL

• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available \$220

26^{1/4} x 22 x 32^{1/2}"
W x D x H



Dimensions include legs

	For Use With	Shipping Weight	List F.O.B. PTC
SD-450	DCM-300 and DCM-500 Series	110 Lbs.	\$1,110

Four 6" Painted Flange Legs included
OPTIONAL

• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available \$220

25^{7/8} x 22 x 32^{3/4}"
W x D x H



Dimensions include legs


	For Use With	Shipping Weight	List F.O.B. PTC
SD-500	DCM-300 and DCM-500 Series	100 Lbs.	\$1,240

Doors Standard, Four 6" Painted Flange Legs included
OPTIONAL

• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available \$220

ICE MACHINE STANDS

34 1/4 x 28 1/4 x *32 1/2"
W x D x H



Dimensions include legs

	For Use With	Shipping Weight	List F.O.B. PTC
SD-700	DCM-750 and DCM-751 Series	165 Lbs.	\$1,220

Four 6" Painted Flange Legs included
OPTIONAL

• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available

\$220

34 x 28 x 32 3/4"
W x D x H



Dimensions include legs

	For Use With	Shipping Weight	List F.O.B. PTC
SD-750	DCM-750 and DCM-751 Series	125 Lbs.	\$1,570

Doors Standard, Four 6" Painted Flange Legs included
OPTIONAL


• Four 6" Stainless Steel Flange Legs Package (**LP-6 FLANGE LEG**) available

\$220

COUNTER-TOP REFRIGERATED DISPLAY MERCHANDISER

HNC-120
(4 Foot)

47 1/4 x 13 5/8 x 11"
W x D x H



HNC-150
(5 Foot)

59 1/16 x 13 5/8 x 11"
W x D x H

HNC-180
(6 Foot)

70 7/8 x 13 5/8 x 11"
W x D x H

HNC-210
(7 Foot)

82 11/16 x 13 5/8 x 11"
W x D x H

	Condenser	Electrical	Refrigerant	Shipping Weight	List F.O.B. PTC
HNC-120BA-R-S	Air-Cooled	115/60/1	R-134A	90 Lbs.	\$4,290
HNC-120BA-L-S	Air-Cooled	115/60/1	R-134A	90 Lbs.	\$4,290
HNC-150BA-R-S	Air-Cooled	115/60/1	R-134A	105 Lbs.	\$4,640
HNC-150BA-L-S	Air-Cooled	115/60/1	R-134A	105 Lbs.	\$4,640
HNC-180BA-R-S	Air-Cooled	115/60/1	R-134A	120 Lbs.	\$5,190
HNC-180BA-L-S	Air-Cooled	115/60/1	R-134A	120 Lbs.	\$5,190
HNC-210BA-R-S	Air-Cooled	115/60/1	R-134A	135 Lbs.	\$5,750
HNC-210BA-L-S	Air-Cooled	115/60/1	R-134A	135 Lbs.	\$5,750

"R" - Condensing Unit is on RIGHT from front view

"L" - Condensing Unit is on LEFT from front view

Not intended for overnight storage. NSF Standard 7

WATER FILTRATION

NEW Model Number	Description	Undercounter KMs	KM Cubers	IM Cubers	Flakers	DCMs
H9320-51 <i>Use E-10 10" Prefilter</i>	Single	AM-50 KM-61 KM-101 KM-151 KM-201 KM-260	KM-320, 515, 901 KML-250, 351, 451, 631 KMD-410, 450 KMS-830 DKM-500	IM-500SAA	All Models	All Models
H9320-52 <i>Use E-20 20" Prefilter</i>	Twin	N/A	KM-600, 650, 1340M, 1601M, 1601S, 1900S, 2100S, 2500S KMD-850M, 901 KMS-822, 1122, 1401 KMH-2000S	N/A	N/A	N/A
H9320-53 <i>Use E-20 20" Prefilter</i>	Triple	N/A	KM-1301S KM-1400-M KMS-2000	N/A	N/A	N/A
H9655-11	Replacement Cartridge (1) One each					

Cartridge configuration determined by ice machine Flow Rate

WATER FILTERS	Height of System (Manifold + Cartridge)	
H9320-51 - Single	18.4" H	\$310
H9320-52 - Twin	19.11" H	\$530
H9320-53 - Triple	19.15" H	\$740
H9655-11 - Replacement Cartridge each		\$110
H9655-06 - Replacement Cartridge (6 pk)		\$600
PREFILTERS		
9795-80 - E-10 Prefilter (10")		\$170
• 9534-12 - Replacement Cartridges (12 pk)		\$140
• 9534-40 - Replacement Cartridges (40 pk)		\$290
9795-90 - E-20 Prefilter (20")		\$240
• 9534-26 - Replacement Cartridges (6 pk)		\$130
• 9534-20 - Replacement Cartridges (20 pk)		\$310



Twin Configuration Shown

(Single and Triple Configurations Available)



Hoshizaki America, Inc.

618 Highway 74, South
Peachtree City, GA 30269

Tel: (800) 438-6087 | (770) 487-2331
Fax: (800) 345-1325 | (770) 487-1325
Service Number: (800) 233-1940



“A Superior Degree of Reliability”

www.hoshizakiamerica.com



Item #11400 | 10/27/2014